



US00D853970S

(12) **United States Design Patent** (10) **Patent No.:** **US D853,970 S**  
**Sipe et al.** (45) **Date of Patent:** **\*\* Jul. 16, 2019**

(54) **ELECTRICAL APPARATUS WITH A LINE SIDE ISOLATION SAFETY SWITCH**

(71) Applicant: **Eaton Intelligent Power Limited**,  
Dublin (IE)

(72) Inventors: **Warren Sipe**, Cleveland, TN (US);  
**Jeffrey Ensley**, Cleveland, TN (US)

(73) Assignee: **Eaton Intelligent Power Limited**,  
Dublin (IE)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/593,671**

(22) Filed: **Feb. 10, 2017**

(51) **LOC (11) Cl.** ..... **13-03**

(52) **U.S. Cl.**  
USPC ..... **D13/152**

(58) **Field of Classification Search**  
USPC ..... D13/151–155, 103, 108  
CPC . H01H 9/36; H01H 9/362; H01H 9/22; H02B  
1/30; H02B 1/306; H02B 1/38; H05K  
5/0217; H05K 5/03; H05K 5/069  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,534,516 A	10/1922	Getchell	
1,852,036 A	12/1925	Wadsworth	
3,609,261 A *	9/1971	Rys	H01H 9/22 200/50.15
3,632,917 A	1/1972	Norden	
3,777,084 A *	12/1973	Rys	H01H 9/22 200/50.12
3,896,353 A	7/1975	Burton et al.	
4,107,488 A *	8/1978	Keller	H02B 1/14 200/333
4,194,100 A *	3/1980	Cox	H01H 9/22 200/50.15
4,337,972 A *	7/1982	Gill	H01H 9/22 200/50.05

4,769,739 A *	9/1988	De Bruin	H01H 9/047 200/50.1
D336,302 S *	6/1993	Kwang	D14/140.4
D337,311 S *	7/1993	Perzan	D13/160
D365,327 S *	12/1995	Reed	D13/147
6,373,009 B1	4/2002	Prohaska et al.	
D551,172 S *	9/2007	Hoshino	D13/146

(Continued)

OTHER PUBLICATIONS

Double-door line-side isolation switch, Eaton, published Jun. 2017 on eaton.com, retrieved on May 2, 2018, retrieved from the Internet URL: <http://www.eaton.com/Eaton/ProductsServices/Electrical/ProductsandServices/ElectricalDistribution/ANSINEMAPowerDistributionandControlSystems/SwitchesandDisconnects/SafetySwitches>.\*

(Continued)

*Primary Examiner* — Jennifer Rivard  
*Assistant Examiner* — Alison M Ofstun

(74) *Attorney, Agent, or Firm* — Myers Bigel, P.A.


(57) **CLAIM**

The ornamental design for an electrical apparatus with a line side isolation safety switch, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, side perspective view of an electrical apparatus with a line side isolation safety switch showing our design;  
 FIG. 2 is a front view thereof;  
 FIG. 3 is a back view thereof;  
 FIG. 4 is a side view thereof;  
 FIG. 5 is an opposing side view thereof;  
 FIG. 6 is top view thereof; and,  
 FIG. 7 is a bottom view thereof.  
 The evenly spaced dashed broken lines shown herein are for the purpose of illustrating parts of the article that form no part of the claim.

**1 Claim, 5 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

7,348,510 B1 3/2008 Foley et al.  
7,450,369 B2 11/2008 Wilkie, II et al.  
7,531,761 B2 5/2009 Carson et al.  
8,254,089 B2 8/2012 Cosley et al.  
9,214,791 B1 12/2015 Peplinski et al.  
9,922,785 B2 3/2018 Jur et al.  
2013/0087359 A1\* 4/2013 Leslie ..... H02B 1/28  
174/50.5  
2013/0214885 A1\* 8/2013 Prohaska ..... H01H 83/20  
335/172  
2016/0190774 A1 6/2016 Peplinski et al.  
2017/0214226 A1\* 7/2017 Sipe ..... H02B 1/306

OTHER PUBLICATIONS

Eaton Corporation, "Shouldn't your safety switch be able to withstand the environment you need it to?", Publication No. SA00801010E, Aug. 2009, 1 pp.

\* cited by examiner




FIG. 1




FIG. 2






FIG. 3






FIG. 6




FIG. 7