



US00D854114S

(12) **United States Design Patent**  
**Bartolo**

(10) **Patent No.:** **US D854,114 S**  
(45) **Date of Patent:** **\*\* Jul. 16, 2019**

(54) **TEMPORARY CONTAINER DOOR  
(STANDARD) FOR USE WITH FUMIGATION  
APPARATUS**

(71) Applicant: **Mebrom Pty Ltd.**, Port Adelaide,  
South Australia (AU)

(72) Inventor: **Kevin Robert Bartolo**, North Haven  
South (AU)

(73) Assignee: **Mebrom Research & Development  
Pty Ltd**, Port Adelaide SA (AU)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/593,648**

(22) Filed: **Feb. 10, 2017**

(30) **Foreign Application Priority Data**

Aug. 12, 2016 (AU) ..... 201614385

(51) **LOC (11) Cl.** ..... **22-06**

(52) **U.S. Cl.**  
USPC ..... **D22/119; D22/199**

(58) **Field of Classification Search**  
USPC ..... D22/119-124, 199; 43/124-125,  
43/127-131, 132.1, 144; 422/1, 28,  
422/36-37, 40, 108, 111, 124-125,  
422/305-306; 426/320  
CPC ..... A01M 1/14; A01M 1/226; A01M 1/2077;  
A01M 13/003; A01M 13/006; A01M  
1/2072; A01M 31/008; A01M 29/12  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

771,366 A \* 10/1904 Heppner et al. .... 43/127  
902,574 A \* 11/1908 Foltz ..... 43/127  
4,228,124 A \* 10/1980 Kashihara ..... A01M 1/2072  
422/28

4,675,504 A \* 6/1987 Suhajda ..... A61L 9/03  
422/306  
4,860,488 A \* 8/1989 Shigetoyo ..... A01M 1/2072  
43/129  
5,353,544 A \* 10/1994 Tsutsumi ..... A01M 13/003  
422/108  
5,473,836 A \* 12/1995 Liu ..... A01M 1/226  
43/124  
5,796,914 A \* 8/1998 Gatzemeyer ..... A01M 1/2077  
43/125  
6,618,983 B1 \* 9/2003 Spragins ..... A01M 1/14  
43/107  
6,857,214 B1 \* 2/2005 Pelissier ..... A01M 31/008  
43/129  
8,132,357 B2 \* 3/2012 Rogacki ..... A01M 13/003  
43/125  
8,296,993 B2 \* 10/2012 Modlin ..... A01M 29/12  
43/132.1  
2004/0111953 A1 \* 6/2004 Anderson ..... A01M 23/04  
43/112

\* cited by examiner

*Primary Examiner* — Catherine R Oliver-Garcia  
(74) *Attorney, Agent, or Firm* — Crain Caton and James


(57) **CLAIM**

The ornamental design for a temporary container door  
(standard) for use with fumigation apparatus, as shown.

**DESCRIPTION**

FIG. 1 is a top front perspective view of a temporary  
container door (standard) for use with fumigation apparatus;  
FIG. 2 is a bottom rear perspective view thereof;  
FIG. 3 is a front view thereof;  
FIG. 4 is a rear view thereof;  
FIG. 5 is a right side view thereof;  
FIG. 6 is a left side view thereof;  
FIG. 7 is a top view thereof; and,  
FIG. 8 is a bottom view thereof.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2






FIG. 3




FIG. 4



FIG. 5



FIG. 6






FIG. 7




FIG. 8