



US00D854300S

(12) **United States Design Patent** (10) **Patent No.:** **US D854,300 S**
Evans (45) **Date of Patent:** **** Jul. 23, 2019**

(54) **FOOTWEAR SOLE**

(71) Applicant: **Airwair International Ltd.**, Wollaston,
Northamptonshire (GB)

(72) Inventor: **Thomas Evans**, London (GB)

(73) Assignee: **Airwair Intl. Ltd.**, Northamptonshire
(GB)

(**) Term: **15 Years**

(21) Appl. No.: **29/604,213**

(22) Filed: **May 16, 2017**

(51) **LOC (11) Cl.** **02-04**

(52) **U.S. Cl.**
USPC **D2/957; D2/947; D2/951; D2/954;**
D2/959; D2/960

(58) **Field of Classification Search**

USPC D2/902, 906, 908, 916, 918, 925,
D2/946–962, 977; 36/1, 1.5, 3 B, 22 R,
36/24.5, 25 R, 28, 32 R, 34 R, 59 C,
36/67 A, 101–107, 114–116, 117.3, 117.4,
36/124–136; D12/544
CPC A43B 13/00; A43B 13/02; A43B 13/023;
A43B 13/026; A43B 13/04; A43B 13/08;
A43B 13/10; A43B 13/12; A43B 13/14;
A43B 13/141; A43B 13/143; A43B
13/16; A43B 13/18; A43B 13/181; A43B
13/187; A43B 13/189; A43B 13/20; A43B
13/22; A43B 13/223; A43B 13/24; A43B
13/28; A43B 13/30; A43B 13/32; A43B
13/34; A43B 13/36

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D125,431 S * 2/1941 Starner D2/959
D259,823 S * 7/1981 Greenlee D2/954
D318,169 S * 7/1991 Austin D2/954
D337,428 S * 7/1993 Allen, III D2/954

D348,148 S * 6/1994 Limauro D2/954
D394,342 S * 5/1998 Schneider D2/959
D410,138 S * 5/1999 Turner D2/951
D415,609 S * 10/1999 Hlavacs D2/951
D427,758 S * 7/2000 Schneider D2/951
D431,894 S * 10/2000 Begg, II D2/957

(Continued)

FOREIGN PATENT DOCUMENTS

CN 105820307 * 8/2016 A43B 13/04

OTHER PUBLICATIONS

1460 Slip Resistant, DrMartens.com, [online], [site visited Sep. 5,
2018]. <URL: <https://www.drmartens.com/us/en/p/24382001>> (Year:
2018).*

(Continued)

Primary Examiner — T Chase Nelson

Assistant Examiner — Jonathan J. Han

(74) *Attorney, Agent, or Firm* — Bryan Cave Leighton
Paisner LLP

(57)

CLAIM

The ornamental design for a footwear sole, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of a bottom surface of a
footwear sole;

FIG. 2 is a side perspective view of a top surface thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a bottom plan view thereof;


FIG. 6 is a top plan view thereof;

FIG. 7 is a right view thereof; and,

FIG. 8 is a left view thereof.

The broken line showings in the figures are for the purpose
of illustrating environment and/or boundaries only and form
no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D433,214 S * 11/2000 McDowell D2/947
D467,060 S * 12/2002 Randesi D2/951
D471,696 S * 3/2003 Recchi D2/953
D474,586 S * 5/2003 Recchi D2/951
D483,554 S * 12/2003 Burg D2/951
D488,916 S * 4/2004 McClaskie D2/957
D523,215 S * 6/2006 Drazic D2/951
D527,172 S * 8/2006 Burg D2/953
D530,492 S * 10/2006 McClaskie D2/957
D530,493 S * 10/2006 Holmes D2/957
D531,789 S * 11/2006 Kohastu D2/959
D603,595 S * 11/2009 Dowling D2/951
D634,923 S * 3/2011 Lacey D2/951
D638,616 S * 5/2011 Gibson D2/951
D655,902 S * 3/2012 Debiase D2/951
D697,296 S * 1/2014 Loyley D2/951
D787,169 S * 5/2017 Sassi D2/947
D797,423 S * 9/2017 Bischoff D2/951
D797,425 S * 9/2017 Wegener D2/951

D802,899 S * 11/2017 Bischoff D2/957
D806,373 S * 1/2018 McDonald D2/957
D818,253 S * 5/2018 Liu D2/957

OTHER PUBLICATIONS

Review: Proper Sage Boots—Benning and Bantam, Blog. USpatriotTactical.com, Oct 21, 2014, Steve Coulston, [online], [site visited Sep. 5, 2018]. <URL: <https://blog.uspatriottactical.com/review-propper-sage-boots-benning-bantam/>> (Year: 2014).*

Hi-Tec Altitude Ultra Hiking Boot Review, TripleBlaze.com, Posted on Jul. 15, 2010 by Jeff Barber, [online], [site visited Sep. 5, 2018]. <URL: <https://www.tripleblaze.com/blog/2010/07/15/hi-tec-altitude-ultra-hiking-boot-review/>> (Year: 2010).*

Redback Safety Boot Steel Toe—USBOK Dark Brown, EverythingAustralian.com, [online], [site visited Sep. 5, 2018]. <URL: <https://everythingaustralian.com.au/safety-boot-steel-toe-usbok-dark-brown.html>> (Year: 2018).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8