



US00D854628S

(12) **United States Design Patent**
Saito et al.

(10) **Patent No.:** **US D854,628 S**
(45) **Date of Patent:** **** Jul. 23, 2019**

(54) **ACCESSORY FOR SPINNING TOP TOY**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **TOMY COMPANY, LTD.**, Tokyo (JP)

CN 3390848 * 9/2004

(72) Inventors: **Shina Saito**, Tokyo (JP); **Toshinobu Ishii**, Saitama (JP)

CN 300862260 * 12/2008

CN 303404375 * 10/2015

CN 303827021 * 8/2016

CN 303863705 * 9/2016

CN 303863727 * 9/2016

CN 303970411 * 12/2016

CN 304401274 * 12/2017

(73) Assignee: **TOMY COMPANY, LTD.**, Tokyo (JP)

EM 001930363-0001 * 1/2012

(**) Term: **15 Years**

JP 3160657 U * 7/2010

(21) Appl. No.: **29/645,360**

JP 6111365 B1 * 4/2017

(22) Filed: **Apr. 25, 2018**

JP 6258541 B1 * 1/2018

JP 6261786 B1 * 1/2018

..... A63H 1/00
..... A63H 1/02
..... A63H 1/04
..... A63H 1/00

(30) **Foreign Application Priority Data**

* cited by examiner

Oct. 26, 2017 (JP) 2017-023802

Primary Examiner — Catherine A Tuttle

(51) **LOC (11) Cl.** **21-01**

(74) *Attorney, Agent, or Firm* — Oliff PLC

(52) **U.S. Cl.**

USPC **D21/460**

(57) **CLAIM**

(58) **Field of Classification Search**

USPC D21/455–464; 446/236–266

CPC A63H 1/00–32

See application file for complete search history.

The ornamental design for an accessory for spinning top toy, as shown and described.

(56) **References Cited**



DESCRIPTION

U.S. PATENT DOCUMENTS

D629,468 S *	12/2010	Ujita	D21/460
9,597,604 B1 *	3/2017	Horikoshi	A63H 1/02
D825,672 S *	8/2018	Muraki	D21/460
D825,673 S *	8/2018	Matsukawa	D21/460
D827,044 S *	8/2018	Horikoshi	D21/460
D827,046 S *	8/2018	Horikoshi	D21/460
D834,102 S *	11/2018	Muraki	D21/460
D834,103 S *	11/2018	Horikoshi	D21/460
D837,899 S *	1/2019	Narita	D21/460
D839,967 S *	2/2019	Horikoshi	D21/460
2003/0064660 A1 *	4/2003	Matsukawa	A63F 3/00895
				446/256
2014/0302743 A1 *	10/2014	Cai	A63H 1/18
				446/256

FIG. 1 is a front elevational view of the accessory for spinning top toy;
FIG. 2 is a left-side elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right-side elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a front, top, right-side perspective view thereof;
FIG. 8 is a disassembled front, top, right-side perspective view thereof; and,
FIG. 9 is a disassembled rear, bottom and left-side perspective view thereof.

1 Claim, 9 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9