



US00D854630S

(12) **United States Design Patent** (10) **Patent No.:** **US D854,630 S**
Kitazawa et al. (45) **Date of Patent:** **** Jul. 23, 2019**

(54) **RADIO REMOTE CONTROL UNIT**

(71) Applicant: **Futaba Corporation**, Mobara-shi (JP)

(72) Inventors: **Hideo Kitazawa**, Mobara (JP); **Migita Makoto**, Tokyo (JP)

(73) Assignee: **Futaba Corporation**, Chiba (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/618,834**

(22) Filed: **Sep. 25, 2017**

(51) **LOC (11) Cl.** **21-01**

(52) **U.S. Cl.**
USPC **D21/566**

(58) **Field of Classification Search**

USPC D21/324, 329, 333, 434, 513, 552, 559,
D21/560, 566; D14/400, 401, 413, 415,
D14/454; D13/158, 169
CPC G08C 17/02; G08C 2201/00; G08C
2201/30; G08C 2201/32; A63H 30/00;
A63H 30/02; A63H 30/04; G05G 9/04;
G05G 9/047

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D317,950 S * 7/1991 Tse D14/413
D389,197 S * 1/1998 Lee D14/416
D390,613 S 2/1998 Kanetsuna et al.
D411,265 S 6/1999 Kanetsuna et al.
D413,880 S * 9/1999 Barnes D14/416
D464,684 S 10/2002 Arai et al.
D481,080 S 10/2003 Arai et al.
D486,151 S * 2/2004 Mukaida D14/412
D486,491 S * 2/2004 Mukaida D14/413
D513,045 S 12/2005 Yuen
D516,137 S 2/2006 Yuen
D524,382 S * 7/2006 Morita D21/566
D525,320 S * 7/2006 Noguchi D21/566

7,102,561 B2 * 9/2006 Tokita A63H 30/04
340/12.5

7,202,806 B2 4/2007 Mukaida
D546,904 S * 7/2007 Bowen D21/566
D573,666 S 7/2008 Idiot
D584,312 S * 1/2009 Bishop D14/412
D594,514 S * 6/2009 Noguchi D21/566

(Continued)

Primary Examiner — Robin V Webster

Assistant Examiner — Keith J Wilson

(74) *Attorney, Agent, or Firm* — Quarles & Brady LLP

(57) **CLAIM**

We claim the ornamental design of a radio remote control unit, as shown and described.

DESCRIPTION

FIG. 1 is a referential perspective view of a radio remote control unit when the wheel unit is placed on the back side according to a first configuration;

FIG. 2 is a perspective view of the radio remote control unit of FIG. 1 when viewed from the front and left side top when the wheel unit is placed on the front side according to a second configuration which is subsequently illustrated in FIGS. 3-9;

FIG. 3 is a perspective view of the radio remote control unit when viewed from the back and right side top;

FIG. 4 is a front view of the radio remote control unit;

FIG. 5 is a back view of the radio remote control unit;

FIG. 6 is a top view of the radio remote control unit;

FIG. 7 is a bottom view of the radio remote control unit;

FIG. 8 is a right-side view of the radio remote control unit;

FIG. 9 is a left-side view of the radio remote control unit; and,

FIG. 10 is a perspective view of the radio remote control unit in the second configuration with the antenna on the right side having been moved to a standing up or vertical position from a horizontal position.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D634,247	S *	3/2011	Confer	D12/174
D650,020	S *	12/2011	Kono	D21/566
D654,543	S *	2/2012	Kono	D21/566
D658,238	S *	4/2012	Kitazawa	D21/566
D720,350	S *	12/2014	Haubrich	D14/415
D723,033	S *	2/2015	Hoock	D14/412
D741,863	S *	10/2015	Hoock	D14/413
D782,582	S	3/2017	Dunford et al.	
D782,962	S	4/2017	Dunford et al.	
9,836,954	B2 *	12/2017	Takayasu	H04B 1/04
D807,970	S *	1/2018	Kitazawa	D21/566
2005/0168373	A1	8/2005	Mukaida	
2006/0229034	A1	10/2006	Gizis et al.	
2015/0091697	A1	4/2015	Takayasu et al.	
2015/0202540	A1	7/2015	Erhart et al.	
2015/0360136	A1	12/2015	Choi	
2017/0349277	A1 *	12/2017	Erhart	B64C 39/024

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6




FIG. 7



FIG. 8



FIG. 9



FIG. 10