



US00D854640S

(12) **United States Design Patent**
Rogacki

(10) **Patent No.:** **US D854,640 S**
(45) **Date of Patent:** **** Jul. 23, 2019**

- (54) **WEIGHTED GOLF CLUB GRIP**
- (71) Applicant: **Edward Rogacki**, Cooper City, FL (US)
- (72) Inventor: **Edward Rogacki**, Cooper City, FL (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/611,902**
- (22) Filed: **Jul. 26, 2017**

Related U.S. Application Data

- (63) Continuation-in-part of application No. 14/929,568, filed on Nov. 2, 2015, which is a continuation of application No. 14/253,267, filed on Apr. 15, 2014, now Pat. No. 9,174,104.
- (51) **LOC (11) Cl.** **21-02**
- (52) **U.S. Cl.**
USPC **D21/756**
- (58) **Field of Classification Search**
USPC D21/756-759, 789
CPC A63B 60/06-60/34; A63B 60/00; A63B 60/46; A63B 59/20; A63B 59/40; A63B 59/60-59/80; A63B 49/00-14; A63B 53/00-53/14
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,210,182	A	12/1916	Lynch	
1,658,447	A	2/1928	Lantz	
1,696,462	A	12/1928	Victor	
3,075,768	A	1/1963	Karns	
4,461,479	A	7/1984	Mitchell	
4,600,195	A *	7/1986	Hunter A63B 60/24 473/297

4,936,586	A *	6/1990	Van Raemdonck ...	A63B 49/08 473/519
4,988,102	A *	1/1991	Reisner A63B 60/24 473/297
D314,600	S *	2/1991	Tosti D21/756
D319,278	S *	8/1991	Tosti D21/756
5,244,209	A	9/1993	Benzel	
6,022,281	A	2/2000	Nolan	
6,354,958	B1 *	3/2002	Meyer A63B 60/24 473/297
6,441,745	B1	8/2002	Gates	
6,656,057	B2	12/2003	Manual et al.	
7,399,235	B2 *	7/2008	Gill A01K 87/08 473/297
7,481,716	B1 *	1/2009	Johnson A63B 60/24 473/297
D633,966	S *	3/2011	Savarese D21/756
7,909,705	B2	3/2011	Gill et al.	
D649,609	S *	11/2011	Savarese D21/756
D652,097	S *	1/2012	Gill D21/756

(Continued)

Primary Examiner — Mitchell I. Siegel

(74) *Attorney, Agent, or Firm* — Mark D. Bowen; Malin Haley DiMaggio & Bowen, P.A.


(57) **CLAIM**

The ornamental design for a weighted golf club grip, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a weighted golf club grip in accordance with the present invention;
 FIG. 2 is a bottom perspective view thereof;
 FIG. 3 is a side view thereof;
 FIG. 4 is top view thereof;
 FIG. 5 is bottom view thereof;
 FIG. 6 is an exploded front side view thereof;
 FIG. 7 is an exploded rear side view thereof;
 FIG. 8 is an exploded top perspective view thereof; and,
 FIG. 9 is an exploded bottom perspective view thereof.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,419,565 B2 * 4/2013 Karube A63B 53/14
473/297
8,888,606 B2 * 11/2014 Boccieri A63B 60/24
473/297
9,174,104 B1 * 11/2015 Rogacki A63B 53/007
9,694,265 B2 * 7/2017 Margoles A63B 60/24
2004/0053715 A1 3/2004 Schwieg et al.
2011/0124431 A1 5/2011 Karube
2011/0159982 A1 6/2011 Takeuchi

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9