



US00D854843S

(12) **United States Design Patent** (10) **Patent No.:** **US D854,843 S**
Perry et al. (45) **Date of Patent:** **** Jul. 30, 2019**

(54) **VEHICLE SEAT**

(71) Applicant: **Jaguar Land Rover Limited**, Whitley,
Coventry (GB)

(72) Inventors: **Lee Perry**, Coventry (GB); **Mary Crisp**, Coventry (GB)

(73) Assignee: **Jaguar Land Rover Limited**, Whitley,
Coventry (GB)

(**) Term: **15 Years**

(21) Appl. No.: **29/669,979**

(22) Filed: **Nov. 13, 2018**

Related U.S. Application Data

(62) Division of application No. 29/591,236, filed on Jan.
18, 2017, now Pat. No. Des. 837,546.

(30) **Foreign Application Priority Data**

Aug. 18, 2016 (EM) 003345321-0001
Aug. 18, 2016 (EM) 003345321-0002
Aug. 18, 2016 (EM) 003345321-0003

(51) **LOC (11) Cl.** **06-01**

(52) **U.S. Cl.**

USPC **D6/356**

(58) **Field of Classification Search**

USPC D6/356, 335–338, 357, 360, 367, 716.4,
D6/716.1, 349; D12/400, 345, 190, 195
CPC . B60N 2/00; B60N 2/01; B60N 2/012; B60N
2/02; B60N 2/0292; B60N 2/24; B60N
2/32; B60N 2/34; B60N 2/38; B60N 2/42
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,632,157 A * 1/1972 Lohr B60N 2/012
296/191
D365,216 S * 12/1995 Smith D6/356

6,769,146 B2 * 8/2004 Copeland B60N 2/58
297/452.61
D534,005 S * 12/2006 Beermann D6/356
7,708,343 B2 * 5/2010 Kayumi B60N 2/99
297/284.9
8,474,911 B2 * 7/2013 Parker B60N 2/12
297/311
D723,820 S * 3/2015 Ashley D6/356
D723,821 S * 3/2015 Kondou D6/356
D723,824 S * 3/2015 Persson D6/356
D749,333 S * 2/2016 Henstridge D6/356
9,573,528 B1 * 2/2017 Line B60R 7/005
9,616,776 B1 * 4/2017 Kondrad B60N 2/0284
D799,225 S * 10/2017 Callum D6/356
D801,065 S * 10/2017 Willis D6/356
D804,206 S * 12/2017 Varga D6/356

(Continued)

Primary Examiner — Deanna L Pratt

(74) *Attorney, Agent, or Firm* — Wood Herron & Evans
LLP

(57)

CLAIM

The ornamental design for a vehicle seat, as shown and
described.

DESCRIPTION

FIG. 1 is a front left perspective view of a seat for a vehicle
according to the present invention.

FIG. 2 is a front right perspective view of the seat shown in
FIG. 1.

FIG. 3 is a rear left perspective view thereof.

FIG. 4 is a rear right perspective view thereof.

FIG. 5 is a front view thereof.

FIG. 6 is a rear view thereof.

FIG. 7 is a left side view thereof.

FIG. 8 is a right side view thereof; and,

FIG. 9 is a top view thereof.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D804,838 S	*	12/2017	Blomme	D6/356
D805,312 S	*	12/2017	Varga	D6/356
D805,313 S	*	12/2017	Varga	D6/356
D808,185 S	*	1/2018	Kondo	D6/356
D822,397 S	*	7/2018	Waterhouse	D6/356
D824,184 S	*	7/2018	Willis	D6/356
D829,457 S	*	10/2018	Iida	D6/356
2013/0285433 A1	*	10/2013	Yamada	B60N 2/995 297/423.3

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8




FIG. 9