



US00D854874S

(12) **United States Design Patent** (10) **Patent No.:** **US D854,874 S**
Joseph (45) **Date of Patent:** **** Jul. 30, 2019**

(54) **EGG POACHER DEVICE**

(71) Applicant: **Joseph Joseph Ltd.**, London (GB)

(72) Inventor: **Antony Joseph**, London (GB)

(73) Assignee: **Joseph Joseph Ltd.**, London (GB)

(**) Term: **15 Years**

(21) Appl. No.: **29/629,645**

(22) Filed: **Dec. 14, 2017**

(30) **Foreign Application Priority Data**

Jun. 30, 2017 (EM) 004077066-0007

(51) **LOC (11) Cl.** **07-02**

(52) **U.S. Cl.**
USPC **D7/354**

(58) **Field of Classification Search**
USPC D7/323, 354–363, 372, 391, 393–396,
D7/409, 413, 540, 587, 602, 608, 629,
D7/693
CPC A47G 19/12; A47J 27/00; A47J 27/002;
A47J 27/08; A47J 27/21; A47J 27/58;
A47J 36/025; A47J 36/06; A47J 36/12;
A47J 37/00; A47J 37/10; A47J 37/101;
A47J 37/103; A47J 37/12; A47J 37/1204;
A47J 45/061; A47J 45/071; A47J 45/08;
H05B 6/12

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D286,726 S * 11/1986 Daenen D7/587
D336,596 S * 6/1993 Osgood D7/542

D508,188 S * 8/2005 Zettle D7/615
D527,588 S * 9/2006 de Groote D7/629
D537,300 S * 2/2007 Kim D7/542
D557,972 S * 12/2007 Ablo D7/354
D614,457 S * 4/2010 Jossem D7/629
D672,617 S * 12/2012 Stamper D7/602
D673,006 S * 12/2012 Kent D7/372
D697,361 S * 1/2014 Kim D7/354
D708,903 S * 7/2014 Wong D7/378
D750,440 S * 3/2016 Dhingra D7/540
D830,124 S * 10/2018 Krivos D7/413

* cited by examiner

Primary Examiner — Ricky Pham

(74) *Attorney, Agent, or Firm* — Millen, White, Zelano & Branigan, PC

(57) **CLAIM**

The ornamental design for an egg poacher device, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the egg poacher device showing my new design.

FIG. 2 is a side view thereof.

FIG. 3 is another side view thereof.

FIG. 4 is another side view thereof.

FIG. 5 is another side view thereof.

FIG. 6 is a top side view thereof.



FIG. 7 is a bottom view thereof.

FIG. 8 is an exploded top perspective view thereof; and,

FIG. 9 is an exploded bottom perspective view thereof.

The broken lines in the drawings illustrate portions of the egg poacher device which form no part of the claimed design.

1 Claim, 9 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9