



US00D855282S

(12) **United States Design Patent**
Rayne

(10) **Patent No.:** **US D855,282 S**

(45) **Date of Patent:** **** Aug. 6, 2019**

(54) **SOCK HORN**

(71) Applicant: **Damian Rayne**, London (GB)

(72) Inventor: **Damian Rayne**, London (GB)

(**) Term: **15 Years**

(21) Appl. No.: **29/601,343**

(22) Filed: **Apr. 21, 2017**

(30) **Foreign Application Priority Data**

Oct. 26, 2016 (EM) 003435833-0001

Oct. 26, 2016 (EM) 003435833-0002

(51) **LOC (12) Cl.** **07-99**

(52) **U.S. Cl.**

USPC **D2/641**; D2/642

(58) **Field of Classification Search**

USPC D2/641-643, 999; D3/200

CPC A47G 25/80; A47G 25/82; A47G 25/84;

A47G 25/86; A47G 25/88; A47G 25/90;

A47G 25/902; A47G 25/904; A47G

25/905; A47G 25/907; A47G 25/92

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,238,432 A * 8/1917 Orr A47G 25/82

223/119

4,066,194 A * 1/1978 Leland A47G 25/905

223/111

D270,395 S * 9/1983 McCullough A47G 25/82

D2/641

5,036,552 A * 8/1991 Deakayne A47G 25/905

2/326

5,909,831 A * 6/1999 Griffin A47G 25/905

223/111

2006/0025712 A1* 2/2006 Kammerer A61F 5/0111

602/65

2010/0147908 A1* 6/2010 Skerman A47G 25/905

223/111

2011/0049201 A1* 3/2011 Bertinotti A47G 25/905

223/112

2011/0272441 A1* 11/2011 Nordgren A47G 25/82

223/118

2012/0298701 A1* 11/2012 Cannata A47G 25/82

223/118

2014/0263486 A1* 9/2014 Taylor A47G 25/905

223/111

2015/0053729 A1* 2/2015 Moscato A47G 25/905

223/111

2017/0295975 A1* 10/2017 De Silva Raposo A47G 25/905

A47G 25/905

* cited by examiner

Primary Examiner — Kevin K Rudzinski

Assistant Examiner — Clare Ann Gannon

(74) *Attorney, Agent, or Firm* — Dorsey & Whitney LLP

(57) **CLAIM**

The ornamental design for a sock horn, as shown.

DESCRIPTION

FIG. 1 is a perspective view of a sock horn in a folded configuration in accordance with the present design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a right side elevation view thereof;

FIG. 5 is a left side elevation view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a perspective view of a sock horn in a flat configuration in accordance with the present design;

FIG. 9 is a front elevation view thereof;

FIG. 10 is a rear elevation view thereof;



FIG. 11 is a right side elevation view thereof;

FIG. 12 is a left side elevation view thereof;

FIG. 13 is a top view thereof; and,

FIG. 14 is a bottom view thereof.

1 Claim, 11 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14