



US00D855282S

(12) **United States Design Patent**  
**Rayne**

(10) **Patent No.:** **US D855,282 S**

(45) **Date of Patent:** **\*\* Aug. 6, 2019**

(54) **SOCK HORN**

(71) Applicant: **Damian Rayne**, London (GB)

(72) Inventor: **Damian Rayne**, London (GB)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/601,343**

(22) Filed: **Apr. 21, 2017**

(30) **Foreign Application Priority Data**

Oct. 26, 2016 (EM) ..... 003435833-0001

Oct. 26, 2016 (EM) ..... 003435833-0002

(51) **LOC (12) Cl.** ..... **07-99**

(52) **U.S. Cl.**

USPC ..... **D2/641**; D2/642

(58) **Field of Classification Search**

USPC ..... D2/641-643, 999; D3/200

CPC ..... A47G 25/80; A47G 25/82; A47G 25/84;

A47G 25/86; A47G 25/88; A47G 25/90;

A47G 25/902; A47G 25/904; A47G

25/905; A47G 25/907; A47G 25/92

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,238,432 A \* 8/1917 Orr ..... A47G 25/82  
223/119

4,066,194 A \* 1/1978 Leland ..... A47G 25/905  
223/111

D270,395 S \* 9/1983 McCullough ..... A47G 25/82  
D2/641

5,036,552 A \* 8/1991 Deakayne ..... A47G 25/905  
2/326

5,909,831 A \* 6/1999 Griffin ..... A47G 25/905  
223/111

2006/0025712 A1\* 2/2006 Kammerer ..... A61F 5/0111  
602/65

2010/0147908 A1\* 6/2010 Skerman ..... A47G 25/905  
223/111

2011/0049201 A1\* 3/2011 Bertinotti ..... A47G 25/905  
223/112

2011/0272441 A1\* 11/2011 Nordgren ..... A47G 25/82  
223/118

2012/0298701 A1\* 11/2012 Cannata ..... A47G 25/82  
223/118

2014/0263486 A1\* 9/2014 Taylor ..... A47G 25/905  
223/111

2015/0053729 A1\* 2/2015 Moscato ..... A47G 25/905  
223/111

2017/0295975 A1\* 10/2017 De Silva Raposo .....  
A47G 25/905

\* cited by examiner

*Primary Examiner* — Kevin K Rudzinski

*Assistant Examiner* — Clare Ann Gannon

(74) *Attorney, Agent, or Firm* — Dorsey & Whitney LLP

(57) **CLAIM**

The ornamental design for a sock horn, as shown.

**DESCRIPTION**

FIG. 1 is a perspective view of a sock horn in a folded configuration in accordance with the present design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a right side elevation view thereof;

FIG. 5 is a left side elevation view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a perspective view of a sock horn in a flat configuration in accordance with the present design;

FIG. 9 is a front elevation view thereof;

FIG. 10 is a rear elevation view thereof;



FIG. 11 is a right side elevation view thereof;

FIG. 12 is a left side elevation view thereof;

FIG. 13 is a top view thereof; and,

FIG. 14 is a bottom view thereof.

**1 Claim, 11 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8






FIG. 9




FIG. 10




FIG. 11



FIG. 12




FIG. 13




FIG. 14