



US00D855340S

(12) **United States Design Patent**
Buffery

(10) **Patent No.:** **US D855,340 S**

(45) **Date of Patent:** **** Aug. 6, 2019**

- (54) **BENCH SEAT FOR A VEHICLE**
- (71) Applicant: **Jaguar Land Rover Limited**, Whitley, Coventry (GB)
- (72) Inventor: **Martin Buffery**, Coventry (GB)
- (73) Assignee: **Jaguar Land Rover Limited**, Whitley, Coventry (GB)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/670,661**
- (22) Filed: **Nov. 19, 2018**

Related U.S. Application Data

- (62) Division of application No. 29/603,623, filed on May 11, 2017, now Pat. No. Des. 837,550.

(30) **Foreign Application Priority Data**

- Nov. 11, 2016 (EM) 003458975-0004
- Nov. 11, 2016 (EM) 003458975-0005
- Nov. 11, 2016 (EM) 003458975-0006

- (51) **LOC (12) Cl.** **06-01**
- (52) **U.S. Cl.**
USPC **D6/356**

- (58) **Field of Classification Search**
USPC D6/356, 335-338, 357, 360, 367, 716.4, D6/716.1, 349; D12/400, 345, 190, 195
CPC . B60N 2/00; B60N 2/01; B60N 2/012; B60N 2/02; B60N 2/0292; B60N 2/24; B60N 2/32; B60N 2/34; B60N 2/38; B60N 2/42
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 5,286,084 A * 2/1994 Bart B60N 2/3084
297/188.04
- 5,772,283 A * 6/1998 Yoshida B60N 2/0292
297/452.38

- D396,152 S * 7/1998 Beermann D6/356
- 6,609,745 B2 * 8/2003 Miyahara B60N 2/01
296/65.03
- D480,571 S * 10/2003 Yu D6/356
- D590,612 S * 4/2009 Zhang D6/356
- D639,575 S * 6/2011 Freeman D6/356
- 7,988,229 B2 * 8/2011 Dill B60N 2/01
297/232
- 8,042,855 B2 * 10/2011 Blatseas B60N 2/01583
296/65.11
- 8,434,828 B2 * 5/2013 Arata B60N 2/289
297/353
- 9,216,671 B2 * 12/2015 Watanabe B60N 2/3013
- 9,352,676 B1 * 5/2016 Wright B60N 2/58
- D771,398 S * 11/2016 Buffery D6/356
- D774,319 S * 12/2016 Ingenlath D6/356

(Continued)

Primary Examiner — Deanna L Pratt

(74) *Attorney, Agent, or Firm* — Wood Herron & Evans LLP


(57) **CLAIM**

The ornamental design for a bench seat for a vehicle, as shown and described.

DESCRIPTION

FIG. 1 is a front left perspective view of a bench seat for a vehicle according to the present invention.
 FIG. 2 is a front right perspective view of the bench seat shown in FIG. 1.
 FIG. 3 is a rear left perspective view thereof.
 FIG. 4 is a rear right perspective view thereof.
 FIG. 5 is a front view thereof.
 FIG. 6 is a rear view thereof.
 FIG. 7 is a left side view thereof.
 FIG. 8 is a right side view thereof; and,
 FIG. 9 is a top view thereof.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D778,080 S * 2/2017 Ahn D6/356
9,616,787 B2 * 4/2017 Siqueira B60N 2/757
D804,207 S * 12/2017 Blomme D6/356
9,919,620 B2 * 3/2018 Supernavage B60N 2/065
2011/0074185 A1 * 3/2011 Nakaya B60N 2/4228
297/61
2014/0110988 A1 * 4/2014 Nakanishi B60N 2/688
297/481
2016/0318422 A1 * 11/2016 Thomas B60N 2/3011

* cited by examiner



FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7



FIG. 8




FIG. 9