US00D855575S

(12) United States Design Patent

Paesen et al.

(10) Patent No.: US D855,575 S
(45) Date of Patent: ** Aug. 6, 2019

(54) **AUTOMOBILE REMOTE CONTROLLER**

(71) Applicant: **NIO NEXTEV LIMITED**, Hong Kong (CN)

(72) Inventors: **Jochen Paesen**, Hong Kong (CN); **Julien Cueff**, Hong Kong (CN); **Stephanie Waser**, Hong Kong (CN); **Florian Schmid**, Hong Kong (CN)

(73) Assignee: **NIO NEXTEV LIMITED**, Hong Kong (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/642,023**

(22) Filed: **Mar. 27, 2018**

(30) **Foreign Application Priority Data**

Sep. 27, 2017 (CN) 2017 3 0464485
Dec. 29, 2017 (CN) 2017 3 0682608

(51) **LOC (12) Cl.** **14-03**
(52) **U.S. Cl.**
USPC **D13/168**
(58) **Field of Classification Search**
USPC D13/168; D10/104.1, 106.1; D3/207, D3/208; D8/347
CPC ... B60R 2225/00; B60R 25/00; B60R 25/104; H01H 9/02; H01H 9/0214; H01H 9/0235; G07C 9/00944; G05B 1/01; E05B 19/0082; E05B 19/04; Y10T 70/8676
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D442,061	S	*	5/2001	Harris	D8/346
D493,149	S	*	7/2004	Murtaugh	D13/168
D495,585	S	*	9/2004	Osada	D8/347
D506,982	S	*	7/2005	Murtaugh	D13/168
D511,750	S	*	11/2005	Badarello	D13/168
D513,233	S	*	12/2005	Stauffer	D13/168
D527,712	S	*	9/2006	Indio da Costa	D13/168
D550,168	S	*	9/2007	Chang	D13/168
D560,173	S	*	1/2008	Chang	D13/168
7,463,134	B1	*	12/2008	Stilley	A45C 11/18 340/5.61
RE42,686	E	*	9/2011	Shimizu	D13/168
D667,382	S	*	9/2012	Cosentino	D13/168
D708,132	S	*	7/2014	Wen	D13/108
D748,066	S	*	1/2016	Lee	D13/168
9,347,244	B2	*	5/2016	Lu	E05B 19/00
D790,484	S	*	6/2017	Bristol	D13/168
D803,792	S	*	11/2017	Houdek	D13/168
D822,376	S	*	7/2018	Konotopskyi	D3/208
D836,568	S	*	12/2018	Miller	D13/168
2004/0099430	A1	*	5/2004	Scudder	G07C 9/00944 174/564

(Continued)

Primary Examiner — Selina Sikder
(74) *Attorney, Agent, or Firm* — Sheridan Ross P.C.

(57) **CLAIM**

The ornamental design for an automobile remote controller, as shown and described.

DESCRIPTION

FIG. **1** is a first perspective view of the automobile remote controller;
FIG. **2** is a second perspective view of the automobile remote controller;
FIG. **3** is a third perspective view of the automobile remote controller;
FIG. **4** is a front view of the automobile remote controller;
FIG. **5** is a rear view of the automobile remote controller;
FIG. **6** is a left side view of the automobile remote controller; and,
FIG. **7** is a right side view of the automobile remote controller.

1 Claim, 4 Drawing Sheets





(56) **References Cited**

U.S. PATENT DOCUMENTS

2010/0238640	A1*	9/2010	Yang	H04M 1/236 361/811
2016/0278229	A1*	9/2016	Saito	H01H 9/0235
2017/0095040	A1*	4/2017	Byrd	A44B 15/005
2017/0129457	A1*	5/2017	Lee	B60R 25/24

* cited by examiner



Fig.1



Fig.2



Fig.3



Fig.4



Fig.5



Fig.6



Fig.7