



US00D855576S

(12) **United States Design Patent**  
**Yang**

(10) **Patent No.:** **US D855,576 S**

(45) **Date of Patent:** **\*\* Aug. 6, 2019**

(54) **REMOTE CONTROL**

(71) Applicant: **SHENZHEN QIAOHUA INDUSTRIES LIMITED**, Shenzhen (CN)

(72) Inventor: **Ruishi Yang**, Shenzhen (CN)

(73) Assignee: **SHENZHEN QIAOHUA INDUSTRIES LIMITED**, Shenzhen (CN)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/642,660**

(22) Filed: **Mar. 30, 2018**

(51) **LOC (12) Cl.** ..... **13-03**

(52) **U.S. Cl.**  
USPC ..... **D13/168**

(58) **Field of Classification Search**  
USPC ..... D13/168; D8/347; D3/207; D14/218, D14/240  
CPC ..... H01H 3/12; H01H 13/02; H01H 13/14; H01H 9/02; H01H 9/0271; H01H 9/181; H05B 37/02; H05B 37/0227; H05B 37/0254; H05B 37/0272; H05B 39/02; H05B 39/0214; H05B 39/0235; H05B 39/088; G07C 9/00309; G07C 9/00944; G07C 2009/00984

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D393,832 S \* 4/1998 Chen ..... D13/168
- 6,013,096 A \* 1/2000 Tucek ..... A61N 5/0616  
606/13
- D494,489 S \* 8/2004 Tulloch ..... D10/106.1
- D546,295 S \* 7/2007 Marchetto ..... D13/168
- D549,710 S \* 8/2007 Hyneczek ..... D13/164
- D604,040 S \* 11/2009 Fleming ..... D3/207

- D614,145 S \* 4/2010 Arosio ..... D13/168
- D622,710 S \* 8/2010 Goransson ..... D14/218
- D638,806 S \* 5/2011 Kim ..... D13/168
- D649,123 S \* 11/2011 Jacoby ..... D13/164
- D712,381 S \* 9/2014 Hwang ..... D14/218
- D721,660 S \* 1/2015 Wang ..... D13/168
- D733,073 S \* 6/2015 Larkin ..... D13/164
- D755,736 S \* 5/2016 Altonen ..... D13/168
- D781,246 S \* 3/2017 Zhang ..... D13/162
- D813,823 S \* 3/2018 Zhang ..... D13/162
- D814,956 S \* 4/2018 Lee ..... D10/106.7

(Continued)

*Primary Examiner* — Selina Sikder

(74) *Attorney, Agent, or Firm* — Muncy, Geissler, Olds & Lowe, P.C.



(57) **CLAIM**

The ornamental design for a remote control, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, right perspective view of a remote control showing my new design;  
 FIG. 2 is a rear, left perspective view thereof;  
 FIG. 3 is a front elevational view thereof;  
 FIG. 4 is a rear elevational view thereof;  
 FIG. 5 is a left side elevational view thereof;  
 FIG. 6 is a right side elevational view thereof;  
 FIG. 7 is a top plan view thereof; and  
 FIG. 8 is bottom plan view thereof;  
 FIG. 9 is a front, right perspective view of a second embodiment of a remote control showing my new design;  
 FIG. 10 is a rear, left perspective view thereof;  
 FIG. 11 is a front elevational view thereof;  
 FIG. 12 is a rear elevational view thereof;  
 FIG. 13 is a left side elevational view thereof;  
 FIG. 14 is a right side elevational view thereof;  
 FIG. 15 is a top plan view thereof; and,  
 FIG. 16 is bottom plan view thereof.

**1 Claim, 16 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D818,445 S *	5/2018	Altonen .....	D13/168
2014/0268628 A1 *	9/2014	Mann .....	G08C 17/00 362/23.1

\* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8



FIG. 9



FIG. 10



FIG. 11



FIG. 12




FIG. 13




FIG. 14






FIG. 15




FIG. 16