



US00D856153S

(12) **United States Design Patent**
Liu et al.

(10) **Patent No.:** **US D856,153 S**

(45) **Date of Patent:** **** *Aug. 13, 2019**

- (54) **JAR**
- (71) Applicant: **VPET USA, INC.**, Fontana, CA (US)
- (72) Inventors: **Chang-Hsien Liu**, Fontana, CA (US);
Wayne Smith, Fontana, CA (US)
- (73) Assignee: **VPET USA, Inc.**, Fontana, CA (US)
- (*) Notice: This patent is subject to a terminal disclaimer.
- (**) Term: **15 Years**
- (21) Appl. No.: **29/613,097**
- (22) Filed: **Aug. 7, 2017**
- (51) **LOC (12) Cl.** **09-01**
- (52) **U.S. Cl.**
USPC **D9/563; D9/574**
- (58) **Field of Classification Search**
USPC D9/516, 530, 541, 542, 543, 544, 546,
D9/560, 563, 564, 565, 570-572, 575,
D9/715, 719; D7/300, 619.1; D3/202
CPC B65D 1/0223; B65D 1/0246; B65D
2501/0081; B65D 2203/00; B65D
2543/00194
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

D267,076 S *	11/1982	Hurtig	D9/520
D423,366 S *	4/2000	Gans	D9/541
D426,469 S *	6/2000	Mankowski	D9/541
D435,455 S *	12/2000	Gans	D9/541
D455,656 S *	4/2002	Gans	D9/541
D465,418 S *	11/2002	Thierjung	D9/542
D482,978 S *	12/2003	Nelson	D9/560
D498,143 S *	11/2004	Rashid	D9/541
D531,913 S *	11/2006	Heisner	D9/560

D542,668 S *	5/2007	Arthur	D9/560
D548,607 S *	8/2007	Langbein	D9/454
D558,583 S *	1/2008	Langbein	D9/560
D558,584 S *	1/2008	Blank	D9/560
D601,431 S *	10/2009	Serrano Diaz	D9/542
D607,743 S *	1/2010	Eble	D9/559
D630,518 S *	1/2011	Biesecker	D9/547
D655,181 S *	3/2012	Kraft	D9/560
D655,182 S *	3/2012	Kraft	D9/560
D696,958 S *	1/2014	Rex	D9/435
D701,769 S *	4/2014	Eble	D9/520
9,033,194 B1 *	5/2015	Grabowski	B65D 83/04 222/185.1
D734,159 S *	7/2015	Brisson	D9/560
D742,242 S *	11/2015	McDaniel	D9/553
D760,088 S *	6/2016	Kaye	D9/516
D767,405 S *	9/2016	Orset	D9/453
D794,468 S *	8/2017	Ivie	D9/520

* cited by examiner

Primary Examiner — Ian Simmons
Assistant Examiner — Keith Frank
 (74) *Attorney, Agent, or Firm* — Stradling Yocca Carlson & Rauth



(57) **CLAIM**

The ornamental design for a jar, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, and right perspective view according to our new design;
 FIG. 2 is a front elevation view thereof;
 FIG. 3 is a rear elevation view thereof;
 FIG. 4 is a left side elevation view thereof;
 FIG. 5 is a right side elevation view thereof;
 FIG. 6 is a top plan view thereof; and,
 FIG. 7 is a bottom plan view thereof.
 The broken lines in the drawings represent portions of the jar that form no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7