US00D856169S

(12) United States Design Patent

Libson et al.

(10) Patent No.: US D856,169 S
(45) Date of Patent: ** Aug. 13, 2019

(54) **COLOR TEMPERATURE SENSOR**

(71) Applicant: **Crestron Electronics, Inc.**, Rockleigh, NJ (US)

(72) Inventors: **Agnieszka Libson**, River Edge, NJ (US); **Scott Wisniewski**, Poughquag, NY (US)

(73) Assignee: **Crestron Electronics, Inc.**, Rockleigh, NJ (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/645,002**

(22) Filed: **Apr. 23, 2018**

(51) **LOC (12) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/49**; D13/165

(58) **Field of Classification Search**
USPC D10/49; D13/165
CPC G01N 17/004; H05B 33/0872; G06F 3/0304; G06F 3/0308; G06F 3/0312; G06F 3/0317; G06F 3/0321; G06F 3/0325; G06F 3/0425; G01B 11/00; G01B 11/002; G01B 11/005; G01B 11/007; G01B 11/02; G01B 11/022; G01B 11/024; G01B 11/026; G01B 11/028; G01B 11/03; G01B 11/04; G01B 11/043; G01B 11/046; G01B 11/06; G01B 11/0608; G01B 11/0616; G01B 11/0625; G01B 11/0633; G01B 11/0641; G01B 11/065; G01B 11/0658; G01B 11/0666; G01B 11/0675; G01B 11/0683; G01B 11/0691; G01B 11/08; G01B 11/10; G01B 11/105; G01B 11/12; G01B 11/14; G01B 11/16; G01B 11/161; G01B 11/162; G01B 11/164; G01B 11/165; G01B 11/167; G01B 11/18; G01B 11/20; G01B 11/22; G01B 11/24; G01B 11/2408; G01B 11/2416; G01B 11/2425; G01B 11/2433; G01B 11/2441; G01B 11/245; G01B 11/25; G01B 11/2504; G01B 11/2509; G01B 11/2513;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,521,708 A 5/1996 Beretta
5,532,848 A 7/1996 Beretta
(Continued)

OTHER PUBLICATIONS

Crestron Electronics, Inc., Crestron Green Light® Photosensor, Closed-Loop, GLS-LCL, Jan. 28, 2016.
(Continued)

Primary Examiner — Antoine Duval Davis
(74) *Attorney, Agent, or Firm* — Crestron Electronics, Inc.

(57) **CLAIM**

The ornamental design for a color temperature sensor, as shown and described.

DESCRIPTION

FIG. **1** shows a top perspective view of a color temperature sensor.
FIG. **2** shows a top plan view of the color temperature sensor.
FIG. **3** shows a front elevational view of the color temperature sensor.
FIG. **4** shows a rear elevational view of the color temperature sensor.
FIG. **5** shows a left side elevational view of the color temperature sensor.
FIG. **6** shows a right side elevational view of the color temperature sensor; and,
FIG. **7** shows a bottom plan view of the color temperature sensor.
(Continued)



The broken lines in the figures depict portions of the color temperature sensor that form no part of the claimed design.

1 Claim, 7 Drawing Sheets

(58) **Field of Classification Search**
CPC G01B 11/2518; G01B 11/2522; G01B 11/2527; G01B 11/2531; G01B 11/2536; G01B 11/254; G01B 11/2546; G01B 11/255; G01B 11/26; G01B 11/27; G01B 11/272; G01B 11/275; G01B 11/2755; G01B 11/28; G01B 11/285; G01B 11/30; G01B 11/303; G01B 11/306; G01J 1/00; G01J 1/02; G01J 1/0204; G01J 1/0209; G01J 1/0214; G01J 1/0219; G01J 1/0223; G01J 1/0228; G01J 1/0233; G01J 1/0238; G01J 1/0242; G01J 1/0247; G01J 1/0252; G01J 2001/0257; G01J 2001/0261; G01J 1/0266; G01J 1/0271; G01J 2001/028; G01J 2001/0285; G01J 1/029; G01J 1/0295; G01J 1/18; G01J 1/16; G01V 8/00; G01V 8/005; G01V 8/02; G01V 8/10; G01V 8/12; G01V 8/14; G01V 8/16; G01V 8/18; G01V 8/20; G01V 8/22; G01V 8/24; G01V 8/26; H03K 2014/9634; H03K 17/9629; H03K 17/9631; H03K 17/9636; H03K 17/9638; G01K 11/12; G01K 11/125; G01K 11/14; G01K 11/16; G01K 11/165; G01K 11/18
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D374,189	S		10/1996	Hubben
8,796,948	B2		8/2014	Weaver et al.
9,066,405	B2		6/2015	van de Ven
D788,046	S		5/2017	Oksengendler et al.
D840,252	S	*	2/2019	Wynar D10/57

OTHER PUBLICATIONS

Enlighted Inc., Compact Sensor, Specification, Jun. 27, 2017.
Luton, microPSTM Daylight Sensor, Apr. 1, 2004.
Rako Controls Limited, Rapir 360O Ceiling Mounted RF Motion Detector, data sheet, 2012.

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7