



US00D856260S

(12) **United States Design Patent** (10) **Patent No.:** **US D856,260 S**
Nunose et al. (45) **Date of Patent:** **** Aug. 13, 2019**

(54) **GAS DISCHARGE MEMBER OF THE DIE**

(56) **References Cited**

(71) Applicant: **Sanko Gosei Co., Ltd.**, Nanto-shi,
Toyama (JP)

U.S. PATENT DOCUMENTS

(72) Inventors: **Hiroki Nunose**, Nanto (JP); **Maki Kobayashi**, Nanto (JP); **Toshio Mitsushima**, Nanto (JP)

D633,857 S * 3/2011 Cervini D12/415
D729,146 S * 5/2015 Cervini D12/415
D773,380 S * 12/2016 Meissner D12/415
9,925,700 B2 * 3/2018 Ozawa B29C 43/361
2016/0200004 A1 * 7/2016 Ozawa B29B 15/08
74/434

(73) Assignee: **Sanko Gosei Co., Ltd.**, Toyama (JP)

* cited by examiner

(**) Term: **15 Years**

Primary Examiner — Katrina A Betton

(21) Appl. No.: **29/581,643**

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

(22) Filed: **Oct. 20, 2016**

(57) **CLAIM**

The ornamental design for a gas discharge member of the die, as shown and described.

(30) **Foreign Application Priority Data**

DESCRIPTION

Apr. 21, 2016 (JP) 2016-008754
Apr. 21, 2016 (JP) 2016-008755
Apr. 21, 2016 (JP) 2016-008756

FIG. 1 is a bottom view of a first embodiment of our design for gas discharge member of the die;
FIG. 2 is a front view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a top, front and right perspective view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a right view thereof; and,
FIG. 7 is a top view thereof.

(51) **LOC (12) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/400**

(58) **Field of Classification Search**
USPC D12/415, 400
CPC B60R 11/02
See application file for complete search history.

1 Claim, 7 Drawing Sheets




FIG. 1




FIG. 2




FIG. 4




FIG. 5



FIG. 7

