



US00D856375S

(12) **United States Design Patent** (10) **Patent No.:** **US D856,375 S**
Mueller (45) **Date of Patent:** **** Aug. 13, 2019**

(54) **PAVER**
(71) Applicant: **Jerry Mueller**, Richfield, WI (US)
(72) Inventor: **Jerry Mueller**, Richfield, WI (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/635,737**
(22) Filed: **Feb. 2, 2018**
(51) **LOC (12) Cl.** **15-03**
(52) **U.S. Cl.**
USPC **D15/19**
(58) **Field of Classification Search**
USPC D15/10, 19, 21, 27, 28, 33
CPC E01C 19/00; E01C 19/18
See application file for complete search history.

5,615,973 A * 4/1997 Campbell E01C 19/405
404/108
D402,670 S * 12/1998 Becker D15/13
5,851,085 A * 12/1998 Campbell E01C 19/174
404/75
6,050,744 A * 4/2000 Binning E01C 19/185
404/108
D469,784 S * 2/2003 Bentley D15/13
6,514,007 B2 * 2/2003 Richter E01C 19/48
404/101
D555,322 S * 11/2007 Hlady D15/13
D632,308 S * 2/2011 Kopacz D15/19
D643,858 S * 8/2011 Kopacz D15/19
D650,396 S * 12/2011 Ewringmann D15/22
D652,432 S * 1/2012 Kopacz D15/19
D670,746 S * 11/2012 Ewringmann D15/31
D672,790 S * 12/2012 Kopacz D15/19
D689,527 S * 9/2013 MacLean-Blevins D15/13
D724,105 S * 3/2015 Kendall D15/13
D758,454 S * 6/2016 Kendall D15/13
D768,729 S * 10/2016 Long D15/10
D824,428 S * 7/2018 Stewart D15/13

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,884,395 A * 5/1975 Keenan E01C 19/185
222/608
4,032,074 A * 6/1977 Amerine A01C 15/008
222/623
4,496,265 A * 1/1985 Fragale E01C 19/185
404/110
D277,676 S * 2/1985 Neal D15/13
4,978,068 A * 12/1990 Eldridge B60H 1/18
239/129
D338,893 S * 8/1993 Simpson D15/13
5,501,404 A * 3/1996 Meyer A01C 3/066
111/11
5,501,405 A * 3/1996 Doornek A01C 15/007
239/683
D368,914 S * 4/1996 Pink D15/13
5,524,558 A * 6/1996 Pierzchalski A01C 15/122
111/170
5,570,814 A * 11/1996 Havlovitz A01C 15/02
222/235
5,592,760 A * 1/1997 Kohout A01C 15/003
37/142.5

* cited by examiner

Primary Examiner — Mark A Goodwin

(74) *Attorney, Agent, or Firm* — Jansson Munger
McKinley & Kirby Ltd.


(57) **CLAIM**

The ornamental design for a paver, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a paver;
FIG. 2 is a front view of the paver of FIG. 1;
FIG. 3 is a top view of the paver of FIG. 1;
FIG. 4 is a right side view of the paver of FIG. 1;
FIG. 5 is a left side view of the paver of FIG. 1;
FIG. 6 is a back view of the paver of FIG. 1; and,
FIG. 7 is a bottom view of the paver of FIG. 1.

1 Claim, 7 Drawing Sheets






FIG. 1





FIG. 2






FIG. 4




FIG. 5




FIG. 6

