



US00D856398S

(12) **United States Design Patent**
Ito et al.

(10) **Patent No.:** **US D856,398 S**

(45) **Date of Patent:** **** Aug. 13, 2019**

(54) **PROJECTOR LENS UNIT FOR A PROJECTOR**

(71) Applicant: **FUJIFILM Corporation**, Tokyo (JP)

(72) Inventors: **Hidekane Ito**, Saitama (JP); **Seiichi Watanabe**, Saitama (JP); **Atsushi Misawa**, Saitama (JP); **Kazumi Koike**, Saitama (JP)

(73) Assignee: **FUJIFILM Corporation**, Minato-Ku, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/590,816**

(22) Filed: **Jan. 13, 2017**

(30) **Foreign Application Priority Data**

Jul. 19, 2016 (JP) 2016-015373

Jul. 19, 2016 (JP) 2016-015375

(51) **LOC (12) Cl.** **16-02**

(52) **U.S. Cl.**
USPC **D16/235**

(58) **Field of Classification Search**
USPC D21/514; D14/450; D16/235, 221, 225, D16/230-231, 234, 208, 213, 130,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D111,605 S * 10/1938 Kay D20/10

D111,607 S * 10/1938 Kay D20/10

(Continued)

FOREIGN PATENT DOCUMENTS

JP D1602051 * 6/2017

Primary Examiner — Wan Laymon

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

(57) **CLAIM**

The ornamental design of a projector lens unit for a projector, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the projector lens unit for a projector, showing the new design;

FIG. 2 is a front view thereof.

FIG. 3 is a rear view thereof.

FIG. 4 is a top view thereof.

FIG. 5 is a bottom view thereof.

FIG. 6 is a right side view thereof.

FIG. 7 is a left side view thereof.

FIG. 8 is a half sectional view, taken along line 8-8 in FIG. 2, of the projector lens unit for a projector.

FIG. 9 is an enlarged view, taken along line 9-9 in FIG. 8, of the projector lens unit for a projector.

FIG. 10 is a reference view showing a usage state of the projector lens unit for a projector.

FIG. 11 is a perspective view of a second embodiment of the projector lens unit for a projector, showing the new design;

FIG. 12 is a front view thereof.

FIG. 13 is a rear view thereof.

FIG. 14 is a top view thereof.

FIG. 15 is a bottom view thereof.

FIG. 16 is a right side view thereof.

FIG. 17 is a half sectional view, taken along line 17-17 in FIG. 12, of the projector lens unit for a projector.



FIG. 18 is an enlarged view, taken along line 18-18 in FIG. 17, of the projector lens unit for a projector; and,

FIG. 19 is a reference view showing a usage state of the projector lens unit for a projector.

The portions represented with solid lines represent claimed portions of the design. The portion for which a partial design registration is sought is transparent. The left side view of the second embodiment of the projector lens unit for a projector is omitted since it is symmetrical to the right side view thereof (FIG. 16).

The broken line showing of the projector do not form part of the claimed design.

(Continued)



The article according to the design of the present application is a projector lens unit for a projector, wherein the projector lens unit for a projector is a bent-type and is used by being connected to a projection unit of a projector. As shown in the “Enlarged view taken along line 9-9 in FIG. 8” (FIG. 9), each of the three substantially circular-shaped portions shown in the portion for which a design registration is sought is convex. As shown in the “Reference view showing a usage state of the projector lens unit for a projector” (FIG. 10), the present article can be used by being connected to a projection unit of a projector.

The article according to the design of the present application is a projector lens unit for a projector according to an embodiment, wherein the projector lens unit for a projector is a straight-type and is used by being connected to a projection unit of a projector. As shown in the “Enlarged view, taken along line 18-18 in FIG. 17, of the projector lens unit for a projector” (FIG. 18), each of the five substantially circular-shaped portions shown in FIG. 12 is convex. As shown in the “Reference view showing a usage state of the projector lens unit for a projector” (FIG. 19), the present article can be used by being fit inside a projector.

1 Claim, 19 Drawing Sheets

(58) **Field of Classification Search**

USPC D16/134–137, 203; D8/310, 300;
D7/393; D26/36, 123–124; D20/28;
353/119

CPC G03B 21/145; G03B 21/14; G03B 21/54;
G03B 21/28

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D470,890	S	*	2/2003	Meyer	D20/28
D500,343	S	*	12/2004	McRobbie	D20/28
D553,661	S	*	10/2007	Nakayama	D16/235
D554,174	S	*	10/2007	Nakayama	D16/235
D661,721	S	*	6/2012	Fujikawa	D16/225
D718,802	S	*	12/2014	Ishibashi	D16/230
9,709,879	B2	*	7/2017	Otsuki	G03B 21/145
2016/0011494	A1	*	1/2016	Otsuki	G03B 21/145 353/119

* cited by examiner

FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14




FIG.15




FIG.16




FIG.17




FIG.18




FIG. 19

