



US00D856686S

(12) **United States Design Patent** (10) **Patent No.:** **US D856,686 S**
Krus (45) **Date of Patent:** **** Aug. 20, 2019**

(54) **PEELER**

(71) Applicant: **Taylor Precision Products, Inc.**,
Seattle, WA (US)

(72) Inventor: **Matthew Krus**, Seattle, WA (US)

(73) Assignee: **Lifetime Brands, Inc.**, Garden City,
NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/654,201**

(22) Filed: **Jun. 21, 2018**

Related U.S. Application Data

(62) Division of application No. 29/589,388, filed on Dec.
30, 2016, now Pat. No. Des. 834,333.

(51) **LOC (12) Cl.** **04-99**

(52) **U.S. Cl.**
USPC **D4/199**

(58) **Field of Classification Search**
USPC D4/100-102, 127, 132, 134, 136, 138,
D4/130, 199; D24/146, 200, 214, 215;
D28/58, 63; 15/21.1, 22.1, 28, 29, 176.1,
15/176.4, 176.5, 176.6, 207.2; 601/109,
601/112, 114
CPC .. A46B 3/00; A46B 3/005; A46B 3/22; A46B
5/0095; A46B 7/00; A46B 7/04; A46B
7/042; A46B 7/06; A46B 7/08; A46B
9/00; A46B 9/005; A46B 9/02; A46B
9/06; A46B 13/00; A46B 13/008; A46B
13/02; A46B 13/023; A46B 13/026; A46B
13/04; A46B 13/08; A46B 15/0002; A46B
15/0022; A46D 1/00; A47K 7/00; A47K
7/02; A47K 7/04; A47K 7/043; A47L
23/06; A61H 7/00; A61H 7/003; A61H
7/005; A61H 2205/022

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D269,565 S *	7/1983	Goldstaub	D4/129
D409,336 S *	5/1999	Stein	D28/63
D431,367 S *	10/2000	Burkhardt	D4/129
D501,085 S *	1/2005	Hay	D4/130
D538,473 S *	3/2007	Rhoades	D28/7
D562,011 S *	2/2008	Meyer	D4/130
D574,152 S *	8/2008	Holcomb	D4/114
D601,351 S *	10/2009	Wales	D4/130
D602,697 S *	10/2009	Chitayat	D4/130
D660,600 S *	5/2012	Pottes	D4/130
D679,909 S *	4/2013	Wales	D4/124
D697,314 S *	1/2014	Tronconi	D4/130
D753,399 S *	4/2016	Owen	D4/100
D757,442 S *	5/2016	Waitesmith	D4/127
D777,448 S *	1/2017	Saputo	D4/119
D782,197 S *	3/2017	Kern	D4/127

(Continued)

Primary Examiner — Austin Murphy

(74) *Attorney, Agent, or Firm* — Tutunjian & Bitetto, P.C.



(57) **CLAIM**

The ornamental design for a peeler, as shown and described.

DESCRIPTION

FIG. 1 is a top, front perspective view of a peeler showing my new design.
FIG. 2 is a bottom, rear perspective view thereof.
FIG. 3 is a front elevational view thereof.
FIG. 4 is a rear elevational view thereof.
FIG. 5 is a right side elevational view thereof.
FIG. 6 is a left side elevational view thereof.
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.
The broken lines in the figures designate areas forming no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D792,034 S * 7/2017 Dornbierer D30/158
D814,805 S * 4/2018 Hwang D4/199

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8