



US00D856729S

(12) **United States Design Patent** (10) **Patent No.:** **US D856,729 S**
Holbrook et al. (45) **Date of Patent:** **** Aug. 20, 2019**

(54) **SLING ASSEMBLY**

(71) Applicants: **Richard Holbrook**, Pasadena, CA
(US); **Darren Mark**, Pasadena, CA
(US)

(72) Inventors: **Richard Holbrook**, Pasadena, CA
(US); **Darren Mark**, Pasadena, CA
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/684,552**

(22) Filed: **Mar. 21, 2019**

(51) **LOC (12) Cl.** **06-01**

(52) **U.S. Cl.**
USPC **D6/716.4; D6/368**

(58) **Field of Classification Search**
USPC D6/334-336, 367, 368, 371, 372, 373,
D6/374, 375, 376, 379, 380, 716, 716.1,
D6/716.3, 716.4

CPC A47C 1/14; A47C 1/146; A47C 1/143;
A47C 4/22; A47C 4/28; A47C 4/30;
A47C 4/38; A47C 4/40; A47C 4/42;
A47C 4/44; A47C 5/04; A47C 5/10

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,842,424 A * 1/1932 Ponten A47C 1/146
297/310
1,915,504 A * 6/1933 Stokby A47C 1/146
297/440.11
4,252,367 A 2/1981 Vanderminde
5,018,789 A 5/1991 Sheckells
5,318,348 A 6/1994 Hess
D365,696 S * 1/1996 Infanti D6/368
D372,804 S * 8/1996 McNamara D6/368
5,911,478 A 6/1999 Goodman

D413,447 S * 9/1999 Tseng D6/368
D429,424 S 8/2000 Vanderminde, Sr.
D452,082 S 12/2001 Pluer
6,585,323 B2 7/2003 Gaylord
D549,481 S 8/2007 Vanderminde
D565,332 S 4/2008 Erickson
8,403,421 B2 3/2013 Wang
D771,400 S * 11/2016 DoVale D6/368
D778,629 S * 2/2017 Le Gal D6/368
D800,473 S * 10/2017 Diez D6/368
D802,317 S * 11/2017 Head, Jr. D6/368
D814,820 S * 4/2018 Meoli, Jr. D6/368
D816,364 S * 5/2018 Sommersell D6/368

OTHER PUBLICATIONS

casualrefinishing.com Feb. 27, 2019, Internet printout: <http://casualrefinishing.com/Sling%20Install.html> (13 pages).

(Continued)

Primary Examiner — Mimosa De

(74) *Attorney, Agent, or Firm* — Todd R. Miller

(57)

CLAIM

The ornamental design for a sling assembly, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view embodying the inventive design;

FIG. 2 is a top view thereof;



FIG. 3 is a front view thereof, with the rear view being a mirror image;

FIG. 4 is a bottom view thereof; and,

FIG. 5 is a right view thereof, with the left view being a mirror image.

The broken lines shown in the FIG. 4 of the drawing are for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

OTHER PUBLICATIONS

chaircarepatio.com, Homecrest Style Sling 3J300 Installation Instructions (6 pages).
outdoorpatiosupplies.com, Instructions on How to Install One Piece Sling (8 pages).
homecrest.com, How to Install a Homecrest Replacement Sling (2 pages).
texacraft.com, Feb. 27, 2019, Internet printout: <http://www.texacraft.com/sling-replacement-tc> (2 pages).
patiofurniturerehab.com, Feb. 27, 2019, Internet printout: <https://www.patiofurniturerehab.com/sling-replacements/sling-replacement-spearder-bar-tool> (3 pages).

* cited by examiner




FIG. 1




FIG. 2



FIG. 3




FIG. 4



FIG. 5