



US00D856751S

(12) **United States Design Patent** (10) **Patent No.:** **US D856,751 S**  
**Elie** (45) **Date of Patent:** **\*\* Aug. 20, 2019**

(54) **KNIFE HANDLE**  
(71) Applicant: **Ken Elie**, Cotati, CA (US)  
(72) Inventor: **Ken Elie**, Cotati, CA (US)  
(73) Assignee: **Outdoor Pro Shop, Inc.**, Cotati, CA (US)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/691,701**  
(22) Filed: **May 17, 2019**  
(51) **LOC (12) Cl.** ..... **07-03**  
(52) **U.S. Cl.**  
USPC ..... **D7/401.2**; D7/649  
(58) **Field of Classification Search**  
USPC ..... D7/393-395, 401.2, 642-652, 693, D7/695-696; D8/93, 97-100, 107, 300, D8/321; D22/117-118  
CPC ..... A01B 1/20; A01B 1/22; A22C 25/006; A47G 21/06; A47G 21/065; A47J 17/02; A61B 17/3211; A61B 17/3213; B21D 53/64; B25G 1/10; B25G 1/102; B25G 3/36; B26B 1/00; B26B 1/08; B26B 1/10; B26B 3/00; B26B 3/02; B26B 3/03; B26B 3/04; B26B 3/06; B26B 5/00; B26B 5/001; B26B 5/007; B26B 7/00; B26B 7/005; B26B 9/00; B26B 9/02; B26B 11/00; B26B 11/006; B26B 17/00; B26B 17/006; B26B 29/02; B67B 7/24  
See application file for complete search history.

(56) **References Cited**  
U.S. PATENT DOCUMENTS  
108,141 A \* 10/1870 Houseman et al. .... B26B 29/02 30/295  
649,059 A \* 5/1900 Kern ..... B26B 29/02 30/295


673,506 A \* 5/1901 Pitts ..... B67B 7/24 15/143.1  
1,444,659 A \* 2/1923 Carlson ..... A47J 17/02 30/295  
1,602,032 A \* 10/1926 March ..... A47J 17/02 30/279.6  
4,380,122 A \* 4/1983 Jagger ..... B25G 1/10 30/295  
D354,881 S 1/1995 Huff  
(Continued)

*Primary Examiner* — Ricky Pham  
(74) *Attorney, Agent, or Firm* — Johan Eide; Christopher Pilling

(57) **CLAIM**  
An ornamental design for a knife handle, as shown and described.

**DESCRIPTION**  
FIG. 1 is a perspective view of a new design for a knife handle that has a main handle body with a curved indentation extending into the main handle body for engagement of a thumb of a human and with a flat bottom portion opposing the curved indentation for positioning a edge of a knife downward and substantially perpendicular to a surface; FIG. 2 is a front view thereof; FIG. 3 is a rear view thereof; FIG. 4 is a left view thereof; FIG. 5 is a right view thereof; FIG. 6 is a top view thereof; FIG. 7 is a bottom thereof; and, FIG. 8 is a perspective view of another embodiment of the knife handle of FIG. 1 thereof.  
The solid lines shown illustrate the claimed features within the design for the claimed article of manufacture. The broken lines shown in the drawings depict portions of the knife handle that form no part of the claimed design. The shading is provided to illustrate contour and material type only and is not an indication of texture, gloss, etc.

**1 Claim, 8 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D378,798	S *	4/1997	Berti .....	D32/52
D388,285	S	12/1997	Neshat	
D424,380	S *	5/2000	McCatty .....	D7/401.2
D494,426	S *	8/2004	Prokop .....	D7/401.2
D543,779	S *	6/2007	Haneda .....	D7/395
D658,016	S *	4/2012	Grass .....	D7/401.2
D660,676	S	5/2012	Yang-Fu	
D730,117	S	5/2015	Hiltenbrand	
D767,935	S	10/2016	Willford et al.	
9,889,573	B2 *	2/2018	Singer .....	B26B 29/02
D815,490	S	5/2018	Constantine et al.	
2005/0241111	A1 *	11/2005	Prokop .....	B25G 1/102 16/430

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8