

US00D856768S

(12) **United States Design Patent**
Gilsrud

(10) **Patent No.:** **US D856,768 S**

(45) **Date of Patent:** **** Aug. 20, 2019**

- (54) **WINCH SOCKET**
- (71) Applicant: **Gabriel G. Gilsrud**, Princeton, MN (US)
- (72) Inventor: **Gabriel G. Gilsrud**, Princeton, MN (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/594,520**
- (22) Filed: **Feb. 20, 2017**
- (51) **LOC (12) Cl.** **08-05**
- (52) **U.S. Cl.**
USPC **D8/29**
- (58) **Field of Classification Search**
USPC D8/29; 81/60, 177.1, 177.85, 121.1, 81/124.3, 165-170, 110.1, 176.2, 124.6, 81/176.1, 176.15; 16/110.1
CPC B25B 13/46; B25B 13/13; B25B 13/00; B25B 13/02
See application file for complete search history.

- 7,062,997 B2 * 6/2006 Hu B25B 23/0021 81/177.2
- D531,377 S * 10/2006 Liu D34/31
- D552,442 S * 10/2007 Hutchings D8/29
- 7,334,774 B1 * 2/2008 Lin B66F 5/04 254/2 B
- 7,340,795 B2 * 3/2008 Kaleta A47L 11/32 15/41.1
- 7,340,984 B2 * 3/2008 Hsieh B25B 13/06 81/125.1
- 7,478,453 B1 * 1/2009 Busshaus A47L 13/38 15/144.3
- D622,118 S * 8/2010 Patti D8/29
- D631,330 S * 1/2011 Richards D8/356
- D670,151 S * 11/2012 Angel D8/107
- D689,751 S * 9/2013 Kalinowski D8/24
- 8,776,813 B2 * 7/2014 DeLap E04H 15/60 135/114
- D750,945 S * 3/2016 Baggett D8/29
- 9,427,854 B2 * 8/2016 Leighton B25B 13/06
- 2010/0043167 A1 * 2/2010 Bradbury A47L 13/22 15/228

* cited by examiner

Primary Examiner — Randall H Gholson

(74) *Attorney, Agent, or Firm* — Harpman + Harpman

(56) **References Cited**
U.S. PATENT DOCUMENTS

- 4,735,448 A * 4/1988 Hart B66D 1/00 254/323
- 5,035,162 A * 7/1991 Dougherty B25B 13/06 81/124.4
- D318,997 S * 8/1991 Baker 81/124.6
- 5,433,127 A * 7/1995 Messier B66F 3/42 16/422
- D377,699 S * 1/1997 McLaughlin D32/46
- 5,921,157 A * 7/1999 Smith B25B 13/461 81/177.2
- 5,950,507 A * 9/1999 Wolfe B25B 21/007 81/177.2
- 6,748,832 B1 * 6/2004 Maxwell B60B 29/003 81/121.1


(57) **CLAIM**

The ornamental design for a winch socket, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the winch socket according to the present invention.
 FIG. 2 is a rear perspective view thereof.
 FIG. 3 is a right end elevational view thereof.
 FIG. 4 is a left end elevational view thereof.
 FIG. 5 is a sectional view on lines 5-5 of FIG. 6; and,
 FIG. 6 is a bottom plan view of the winch socket according to the present invention.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6