



US00D856768S

(12) **United States Design Patent**  
**Gilsrud**

(10) **Patent No.:** **US D856,768 S**

(45) **Date of Patent:** **\*\* Aug. 20, 2019**

- (54) **WINCH SOCKET**
- (71) Applicant: **Gabriel G. Gilsrud**, Princeton, MN  
(US)
- (72) Inventor: **Gabriel G. Gilsrud**, Princeton, MN  
(US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/594,520**
- (22) Filed: **Feb. 20, 2017**
- (51) **LOC (12) Cl.** ..... **08-05**
- (52) **U.S. Cl.**  
USPC ..... **D8/29**
- (58) **Field of Classification Search**  
USPC ..... D8/29; 81/60, 177.1, 177.85, 121.1,  
81/124.3, 165-170, 110.1, 176.2, 124.6,  
81/176.1, 176.15; 16/110.1  
CPC ..... B25B 13/46; B25B 13/13; B25B 13/00;  
B25B 13/02  
See application file for complete search history.

- 7,062,997 B2 \* 6/2006 Hu ..... B25B 23/0021  
81/177.2
- D531,377 S \* 10/2006 Liu ..... D34/31
- D552,442 S \* 10/2007 Hutchings ..... D8/29
- 7,334,774 B1 \* 2/2008 Lin ..... B66F 5/04  
254/2 B
- 7,340,795 B2 \* 3/2008 Kaleta ..... A47L 11/32  
15/41.1
- 7,340,984 B2 \* 3/2008 Hsieh ..... B25B 13/06  
81/125.1
- 7,478,453 B1 \* 1/2009 Busshaus ..... A47L 13/38  
15/144.3
- D622,118 S \* 8/2010 Patti ..... D8/29
- D631,330 S \* 1/2011 Richards ..... D8/356
- D670,151 S \* 11/2012 Angel ..... D8/107
- D689,751 S \* 9/2013 Kalinowski ..... D8/24
- 8,776,813 B2 \* 7/2014 DeLap ..... E04H 15/60  
135/114
- D750,945 S \* 3/2016 Baggett ..... D8/29
- 9,427,854 B2 \* 8/2016 Leighton ..... B25B 13/06
- 2010/0043167 A1 \* 2/2010 Bradbury ..... A47L 13/22  
15/228

\* cited by examiner

*Primary Examiner* — Randall H Gholson

(74) *Attorney, Agent, or Firm* — Harpman + Harpman

(56) **References Cited**  
U.S. PATENT DOCUMENTS

- 4,735,448 A \* 4/1988 Hart ..... B66D 1/00  
254/323
- 5,035,162 A \* 7/1991 Dougherty ..... B25B 13/06  
81/124.4
- D318,997 S \* 8/1991 Baker ..... 81/124.6
- 5,433,127 A \* 7/1995 Messier ..... B66F 3/42  
16/422
- D377,699 S \* 1/1997 McLaughlin ..... D32/46
- 5,921,157 A \* 7/1999 Smith ..... B25B 13/461  
81/177.2
- 5,950,507 A \* 9/1999 Wolfe ..... B25B 21/007  
81/177.2
- 6,748,832 B1 \* 6/2004 Maxwell ..... B60B 29/003  
81/121.1


(57) **CLAIM**

The ornamental design for a winch socket, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the winch socket according to the present invention.  
FIG. 2 is a rear perspective view thereof.  
FIG. 3 is a right end elevational view thereof.  
FIG. 4 is a left end elevational view thereof.  
FIG. 5 is a sectional view on lines 5-5 of FIG. 6; and,  
FIG. 6 is a bottom plan view of the winch socket according to the present invention.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6