



US00D856779S

(12) **United States Design Patent** (10) **Patent No.:** **US D856,779 S**
Schneider et al. (45) **Date of Patent:** **** Aug. 20, 2019**

- (54) **LOCK**
- (71) Applicant: **Spectrum Brands, Inc.**, Middleton, WI (US)
- (72) Inventors: **Elliott Schneider**, Foothill Ranch, CA (US); **Wei Hsu**, Lake Forest, CA (US)
- (73) Assignee: **Spectrum Brands, Inc.**, Middleton, WI (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/632,293**
- (22) Filed: **Jan. 5, 2018**
- (51) **LOC (12) Cl.** **08-07**
- (52) **U.S. Cl.**
USPC **D8/330**
- (58) **Field of Classification Search**
USPC D8/330, 331, 300-302, 333, 334, 343, D8/349, 341, 350; 70/14, 20, 31, 52, 57, 70/57.1, 77, 141, 224, 447, 448, 452, 70/465, 466
CPC E05B 47/00; E05B 47/0692; E05B 63/044; E05B 9/02; E05B 2009/006; E05B 49/00; E05B 63/0056
See application file for complete search history.

- D717,153 S * 11/2014 Sadler D8/330
- D730,714 S 6/2015 Gokcebay et al.
- D760,062 S 6/2016 Groleski
- D837,032 S * 1/2019 Cavanna D8/331
- 2011/0302847 A1* 12/2011 Johnson E05B 63/0056
49/503

OTHER PUBLICATIONS

Sep. 20, 2018—(TW) Notice of Allowance—App 107301992.

* cited by examiner

Primary Examiner — Ian Simmons

Assistant Examiner — Yolanda Robinson

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(57) **CLAIM**

The ornamental design for a lock, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a lock showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a top view thereof; and,

FIG. 6 is a bottom view thereof.


The broken line showing at the horizontally oriented rectangular region portions of the lock, on the circular keyway region, and the bottom central region in FIGS. 1-6 represents unclaimed environmental subject matter and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D324,635 S * 3/1992 Weinerman D8/331
- D503,608 S 4/2005 Fields
- D654,215 S * 2/2012 Neiman D26/142
- D654,435 S * 2/2012 Lee D13/138.2
- D688,631 S * 8/2013 Ku D13/156
- D701,748 S * 4/2014 Weathersby D8/350






FIG. 1




FIG. 2




FIG.3




FIG.4




FIG. 5




FIG. 6