



US00D856786S

(12) **United States Design Patent**
Stapleton

(10) **Patent No.:** **US D856,786 S**

(45) **Date of Patent:** **** Aug. 20, 2019**

- (54) **THREADED RECEIVER FOR TENON**
- (71) Applicant: **Door County Rustic LLC**, Egg Harbor, WI (US)
- (72) Inventor: **Michael E. Stapleton**, Egg Harbor, WI (US)
- (73) Assignee: **Door County Rustic LLC**, Egg Harbor, WI (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/665,749**
- (22) Filed: **Oct. 5, 2018**
- (51) **LOC (12) Cl.** **08-08**
- (52) **U.S. Cl.**
USPC **D8/382**; D8/349
- (58) **Field of Classification Search**
USPC D8/16, 19, 349, 354, 373, 374, 380, 382, D8/399; D6/702
CPC F16B 2012/043; F16B 2012/046; F16B 2012/466; F16B 12/06; F16B 12/10; F16B 12/12; F16B 12/125; F16B 12/14; F16B 12/2063; F16B 5/002; Y10T 403/553; Y10T 403/75
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 3,236,342 A * 2/1966 Persson E06B 3/12 403/408.1
- 3,940,212 A * 2/1976 Gutner F16B 12/14 403/306
- 4,290,710 A * 9/1981 Waller A47B 87/02 248/475.1
- 4,905,680 A * 3/1990 Tunc A61B 17/80 606/280
- 5,108,399 A * 4/1992 Eitenmuller A61B 17/8047 606/298

- 5,785,712 A * 7/1998 Runciman A61B 17/8085 606/283
- D428,799 S * 8/2000 Stearns D8/354
- D493,355 S * 7/2004 Dinh D8/356
- D623,751 S * 9/2010 Weiman D24/155
- 8,641,315 B2 * 2/2014 Liu A47B 95/00 403/297
- 9,482,115 B2 * 11/2016 Harris F16B 9/023
- D798,691 S * 10/2017 Webb D8/354
- 9,924,984 B2 * 3/2018 Hartdegen A61B 17/8057

(Continued)

Primary Examiner — Sandra S Snapp

Assistant Examiner — Ieisha N Price

(74) *Attorney, Agent, or Firm* — Andrus Intellectual Property Law, LLP

(57) **CLAIM**


The ornamental design for a threaded receiver for tenon, as shown and described.

DESCRIPTION

FIG. 1 is a top front perspective view of a threaded receiver for tenon showing my new design;
 FIG. 2 is a bottom front perspective view thereof;
 FIG. 3 is a front view thereof;
 FIG. 4 is a rear view thereof;
 FIG. 5 is a top view thereof;
 FIG. 6 is a bottom view thereof;
 FIG. 7 is a left view thereof;
 FIG. 8 is a right view thereof;
 FIG. 9 is a cross sectional view taken along line 9-9 in FIG. 7; and,
 FIG. 10 is a cross-sectional view of the threaded receiver for tenon, taken along line 10-10 in FIG. 8, showing the tenon in use.

The broken lines showing, not-claimed items illustrated in figures, i.e. wooden blocks and mechanical fasteners in FIG. 10, are included for the purpose of illustrating environmental structure and forms no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D820,696	S *	6/2018	Metz	D10/65
2003/0070381	A1 *	4/2003	Hawang	A47B 47/042
					52/536
2006/0177259	A1 *	8/2006	Yang	A47B 96/145
					403/49
2009/0151616	A1 *	6/2009	Han	B63B 35/38
					114/266
2009/0281543	A1 *	11/2009	Orbay	A61B 17/80
					606/70
2010/0254757	A1 *	10/2010	Saul	A47C 4/02
					403/404
2010/0329779	A1 *	12/2010	Chen	A47B 47/042
					403/374.1
2011/0085853	A1 *	4/2011	Liu	F16B 12/125
					403/381
2011/0255915	A1 *	10/2011	Chen	F16B 12/125
					403/381
2013/0022394	A1 *	1/2013	Yang	F16B 12/10
					403/376
2013/0058707	A1 *	3/2013	Wang	F16B 12/12
					403/205
2013/0239509	A1 *	9/2013	Wang	F16B 12/125
					52/704
2014/0079509	A1 *	3/2014	Chalverat	F16B 5/02
					411/366.1
2016/0025125	A1 *	1/2016	Bonney	F16B 12/125
					403/376
2017/0321734	A1 *	11/2017	Maertens	F16B 12/12
2018/0031019	A1 *	2/2018	Sjostedt	F16B 12/22
2018/0135677	A1 *	5/2018	Cattaneo	F16B 12/2027

* cited by examiner




FIG 1




FIG 2




FIG 3



FIG 4




FIG 5




FIG 6




FIG 7




FIG 8



FIG 9




FIG 10