

US00D857014S

(12) **United States Design Patent** (10) **Patent No.:** **US D857,014 S**  
**Wu et al.** (45) **Date of Patent:** **\*\* Aug. 20, 2019**

- (54) **STORAGE DEVICE**
- (71) Applicant: **Seagate Technology LLC**, Cupertino, CA (US)
- (72) Inventors: **Chu-Hsun Wu**, Taipei (TW); **Liyong Bi**, Foster City, CA (US); **Britt Ashcraft**, Hermosa Beach, CA (US); **Daniel Ashcraft**, Torrance, CA (US); **Eric Beaupre**, Los Angeles, CA (US)
- (73) Assignee: **Seagate Technology LLC**, Cupertino, CA (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/655,053**
- (22) Filed: **Jun. 29, 2018**

**Related U.S. Application Data**

- (62) Division of application No. 29/598,279, filed on Mar. 24, 2017, now Pat. No. Des. 824,901.
- (51) **LOC (12) Cl.** ..... **14-02**
- (52) **U.S. Cl.**  
USPC ..... **D14/365**; D14/349
- (58) **Field of Classification Search**  
USPC ..... D14/300–302, 314, 348–370, 383–385, D14/435, 496, 125, 135, 155, 240–242, D14/299, 474, 203.1, 203.3, 203.4, 432, D14/498, 499, 500, 502; D13/103, 107, D13/108, 110, 119, 158, 162, 184, 199; D3/218, 276, 294  
CPC ... G11B 33/027; G11B 33/122; G11B 33/124; G11B 33/00; G11B 33/02; G11B 33/022; G11B 33/025; H05K 5/00; H05K 5/0213  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D582,385 S 12/2008 Sanguinetti
- D582,408 S 12/2008 Maiers et al.

- D582,411 S 12/2008 Fan et al.
- D584,306 S 1/2009 Maiers et al.
- D587,706 S 3/2009 Maiers et al.
- D587,707 S 3/2009 Maiers et al.
- D641,754 S 7/2011 Camarena et al.
- D643,020 S 8/2011 Zhang
- D643,427 S 8/2011 McGoldrick et al.
- D647,523 S 10/2011 Su

(Continued)

**OTHER PUBLICATIONS**

Data storage and transmission devices. (Design—© Questel) orbit.com.[online PDF] 19 pgs. Print dates range from Mar. 8, 2012 to Apr. 7, 2017. [Retrieved on Mar. 20, 2018] <https://sobjprd.questel.fr/export/QPTUJ214/pdf2/8a22b46a-7759-4930-a0fb-37b749fcd9d8-194330.pdf.

*Primary Examiner* — Marie D. Fast Horse  
(74) *Attorney, Agent, or Firm* — Mueting, Raasch & Gebhardt, P.A.


(57) **CLAIM**

The ornamental design for a storage device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front left perspective view of a storage device in accordance with the claimed design;  
FIG. 2 is a front elevation view of the design of FIG. 1;  
FIG. 3 is a left side elevation view of the design of FIG. 1;  
FIG. 4 is a right side elevation view of the design of FIG. 1;  
FIG. 5 is a rear elevation view of the design of FIG. 1; and  
FIG. 6 is a top plan view of the design of FIG. 1.  
The bottom of the storage device is not shown and forms no part of the claimed design.  
The broken lines in the drawings depict portions of the storage device that form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D648,293	S	11/2011	Kim et al.	
D654,445	S	2/2012	Daniel	
D671,943	S	12/2012	Dizac et al.	
D693,806	S	11/2013	Shim et al.	
D705,782	S	5/2014	McParland et al.	
D707,226	S	6/2014	DePaula	
D708,531	S	7/2014	Ofir et al.	
D709,507	S	7/2014	McParland et al.	
D730,893	S	6/2015	Yin et al.	
D740,326	S *	10/2015	Jung .....	D14/496
D764,335	S *	8/2016	Thornton .....	D10/106.6
D787,512	S	5/2017	Chana et al.	
D787,513	S	5/2017	Basil	
D787,514	S	5/2017	Basil	
D801,967	S	11/2017	Razdan et al.	
D815,618	S *	4/2018	Choi .....	D14/214
D816,063	S *	4/2018	Choi .....	D14/214
D824,901	S *	8/2018	Wu .....	D14/349

\* cited by examiner




Fig. 1




Fig. 2




Fig. 3






Fig. 4




Fig. 5




Fig. 6