



US00D857084S

(12) **United States Design Patent** (10) **Patent No.:** **US D857,084 S**
Chen (45) **Date of Patent:** **** Aug. 20, 2019**

(54) **TRIPOD**

(71) Applicant: **Yueqing Originality Photography Equipment Co., Ltd.**, Yueqing, Zhejiang Province (CN)

(72) Inventor: **Qingyuan Chen**, Yueqing (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/632,335**

(22) Filed: **Jan. 7, 2018**

(51) **LOC (12) Cl.** **16-05**

(52) **U.S. Cl.**
USPC **D16/244**

(58) **Field of Classification Search**
USPC D16/219, 237-250; D14/224, 229, 238, D14/251, 253, 447, 451, 457; D8/354, D8/355, 363, 373, 382-383, 394-396
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D269,880 S * 7/1983 Iwasaki D16/244
D327,085 S * 6/1992 Miyauchi D16/245
(Continued)

OTHER PUBLICATIONS

Triopo C Series. [online] Published Mar. 2, 2016. Retrieved Nov. 19, 2018 from URL: http://www.triopo.pl/en/tripods/16-c-series.*

Primary Examiner — Vy N Koenig

(74) *Attorney, Agent, or Firm* — Jie Yang; Zan IP LLC

(57) **CLAIM**

The ornamental design for a tripod, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a tripod showing my new design, according to a first embodiment;

FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a top view thereof;
FIG. 5 is a bottom view thereof;
FIG. 6 is a left side view thereof;
FIG. 7 is a right side view thereof;
FIG. 8 is a perspective front view thereof in use with extended legs;
FIG. 9 is a perspective front view thereof in use with retracted legs;
FIG. 10 is a front view thereof in use with retracted legs;
FIG. 11 is a rear view thereof in use with retracted legs;
FIG. 12 is a top view thereof in use with retracted legs;
FIG. 13 is a bottom view thereof in use with retracted legs;
FIG. 14 is a left side view thereof in use with retracted legs;
FIG. 15 is a right side view thereof in use with retracted legs;
FIG. 16 is a perspective front view w thereof in use with retracted and spread legs;
FIG. 17 is a front view thereof in use with retracted and spread legs;
FIG. 18 is a rear view thereof in use with retracted and spread legs;
FIG. 19 is a top view thereof in use with retracted and spread legs;
FIG. 20 is a bottom view thereof in use with retracted and spread legs;
FIG. 21 is a left side view thereof in use with retracted and spread legs; and
FIG. 22 is a right side view thereof in use with retracted and spread legs.
FIG. 23 is a front perspective front view of a tripod showing my new design, according to a second embodiment;
FIG. 24 is a front view thereof;
FIG. 25 is a rear view thereof;
FIG. 26 is a top view thereof;
FIG. 27 is a bottom view thereof;
FIG. 28 is a left side view thereof;
FIG. 29 is a right side view thereof;
FIG. 30 is a perspective front view thereof in use with extended legs;
FIG. 31 is a perspective front view thereof in use with retracted legs;
FIG. 32 is a front view thereof in use with retracted legs;
FIG. 33 is a rear view thereof in use with retracted legs;

(Continued)




FIG. 34 is a top view thereof in use with retracted legs;
 FIG. 35 is a bottom view thereof in use with retracted legs;
 FIG. 36 is a left side view thereof in use with retracted legs;
 FIG. 37 is a right side view thereof in use with retracted legs;
 FIG. 38 is a perspective front view w thereof in use with retracted and spread legs;
 FIG. 39 is a front view thereof in use with retracted and spread legs;
 FIG. 40 is a rear view thereof in use with retracted and spread legs;
 FIG. 41 is a top view thereof in use with retracted and spread legs;
 FIG. 42 is a bottom view thereof in use with retracted and spread legs;
 FIG. 43 is a left side view thereof in use with retracted and spread legs; and,
 FIG. 44 is a right side view thereof in use with retracted and spread legs.

1 Claim, 44 Drawing Sheets

(58) **Field of Classification Search**

CPC F16M 11/06-10; F16M 11/14; G02B
 7/00-002; G03B 17/56; G03B
 17/561-568; H04N 5/2253-2254; A45F
 2200/0508-0533; A45F 5/00; A45F 5/10
 See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D357,031	S *	4/1995	Hanke	D16/245
6,824,319	B1 *	11/2004	Speggiorin	F16C 11/10 248/168
9,004,419	B2 *	4/2015	Nakatani	F16M 11/126 248/178.1
9,372,383	B2 *	6/2016	Johnson, Sr.	G03B 17/568
D807,421	S *	1/2018	Yin	D16/244
D829,266	S *	9/2018	Zeng	D16/244
D829,267	S *	9/2018	Zeng	D16/244
2003/0146354	A1 *	8/2003	Speggiorin	F16M 11/32 248/167
2005/0151036	A1 *	7/2005	Speggiorin	F16M 11/14 248/177.1
2008/0224000	A1 *	9/2008	Yang	F16M 11/16 248/188.5
2009/0250567	A1 *	10/2009	Raynaud	F16M 11/16 248/168
2010/0019109	A1 *	1/2010	Liu	F16M 11/046 248/168
2011/0260016	A1 *	10/2011	Johnson	F16M 11/16 248/168
2015/0076296	A1 *	3/2015	Yang	F16M 11/041 248/163.2
2015/0338017	A1 *	11/2015	De Faveri	F16M 11/16 396/428

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7



Fig. 8



Fig. 9



Fig. 10



Fig. 11



Fig. 12



Fig. 13



Fig. 14



Fig. 15



Fig. 16



Fig. 17



Fig. 18



Fig. 19



Fig. 20



Fig. 21



Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28




Fig. 29



Fig. 30



Fig. 31



Fig. 32



Fig. 33



Fig. 34



Fig. 35



Fig. 36



Fig. 37



Fig. 38



Fig. 39



Fig. 40



Fig. 41



Fig. 42



Fig. 43



Fig. 44