



US00D857091S

(12) **United States Design Patent**  
**Kinemura**

(10) **Patent No.:** **US D857,091 S**

(45) **Date of Patent:** **\*\* Aug. 20, 2019**

(54) **ELECTRONIC CALCULATOR**

(71) Applicant: **SHARP KABUSHIKI KAISHA,**  
Sakai, Osaka (JP)

(72) Inventor: **Hiroyuki Kinemura,** Sakai (JP)

(73) Assignee: **Sharp Kabushiki Kaisha,** Sakai, Osaka  
(JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/595,237**

(22) Filed: **Feb. 27, 2017**

(30) **Foreign Application Priority Data**

Sep. 12, 2016 (JP) ..... 2016-019658

(51) **LOC (12) Cl.** ..... **18-01**

(52) **U.S. Cl.**  
USPC ..... **D18/11; D18/12; D18/7**

(58) **Field of Classification Search**  
USPC ..... D18/6-11, 1, 2, 12, 4.1, 4.2, 50, 14, 19,  
D18/54, 54.1, 12.3; D14/300, 341, 343,  
D14/345, 346, 390, 455; D10/97, 103  
CPC ..... G06F 15/00; G06F 15/02; G06F 15/021;  
G06F 15/0216; G06F 15/0225; G06F  
15/0233; G06F 15/025; G06F 3/02; G06F  
3/0227; G06G 3/00; G06G 3/02; G06G  
3/04; G06K 7/0065; G06C 7/02; B41J  
3/4075; B41J 3/44; B41J 3/445; B41J  
7/02; B41J 15/042  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D203,141 S \* 12/1965 Yagura ..... D18/11  
D215,366 S \* 9/1969 Kashiwagi et al. .... D18/7  
D223,612 S \* 5/1972 Kashiwagi ..... D18/7  
D227,471 S \* 6/1973 Yamamoto ..... D18/7

D228,236 S \* 8/1973 Nakanishi ..... D18/7  
D230,405 S \* 2/1974 Jinbo ..... D18/7  
D233,154 S \* 10/1974 Saito ..... D18/7  
D233,347 S \* 10/1974 Beitler et al. .... D18/7  
D233,440 S \* 10/1974 Fossella et al. .... D18/7  
D233,799 S \* 11/1974 Finkel ..... D18/6  
D236,208 S \* 8/1975 Takano ..... D18/7  
D236,350 S \* 8/1975 Stoltz et al. .... D18/7  
D238,368 S \* 1/1976 Goldsamt ..... D18/7

(Continued)

**OTHER PUBLICATIONS**

Design U.S. Appl. No. 29/595,227, filed Feb. 27, 2017, entitled  
“Electronic Calculator”.

(Continued)

*Primary Examiner* — Marie D. Fast Horse

(74) *Attorney, Agent, or Firm* — Nixon & Vanderhye P.C.

(57) **CLAIM**



The ornamental design for an “electronic calculator,” as  
shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of an electronic calculator  
in accordance with my new design;  
FIG. 2 is a front elevation view thereof;  
FIG. 3 is rear elevation view thereof;  
FIG. 4 is a top plan view thereof;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a left-side elevation view thereof; and  
FIG. 7 is a right-side elevation view thereof; and,  
FIG. 8 is a front perspective view of an electronic calculator  
of FIG. 1 showing a sub-display unit tilted in an upright  
position.

The dotted lines define the boundary of the claim, which  
extends to the boundary but does not include the boundary;  
while the remaining broken lines depict portions of the  
electronic calculator that form no part of the claim.

**1 Claim, 6 Drawing Sheets**



(56)

References Cited

U.S. PATENT DOCUMENTS

D238,788 S \* 2/1976 Goldsamt ..... D18/7  
 D239,291 S \* 3/1976 Kurozumi ..... D18/7  
 D239,835 S \* 5/1976 Ishida ..... D18/7  
 D240,136 S \* 6/1976 Hazama ..... D18/7  
 D240,736 S \* 7/1976 Pemberton ..... D18/7  
 D240,832 S \* 8/1976 Beitler et al. .... D18/7  
 D243,191 S \* 1/1977 Pemberton ..... D18/7  
 D243,957 S \* 4/1977 Matsuda ..... D18/7  
 4,063,221 A \* 12/1977 Watson ..... G06F 15/02  
 341/22  
 D247,198 S \* 2/1978 Ohie ..... D18/7  
 4,081,664 A 3/1978 Washizuka et al.  
 4,089,059 A \* 5/1978 Miller ..... G06F 15/02  
 708/130  
 D249,822 S 10/1978 Ohie et al.  
 4,158,230 A 6/1979 Washizuka et al.  
 4,200,926 A \* 4/1980 Cochran ..... G06F 15/02  
 341/26  
 4,209,735 A 6/1980 Yoshida  
 D258,827 S \* 4/1981 Chin ..... D18/7  
 D258,893 S \* 4/1981 McCrae ..... D18/7  
 D259,349 S \* 5/1981 Hirata ..... D18/7  
 4,271,404 A 6/1981 Tanaka  
 4,283,769 A 8/1981 Asada  
 4,298,865 A 11/1981 Masuzawa et al.  
 D262,318 S \* 12/1981 Koshino ..... D10/100  
 4,306,294 A 12/1981 Hashimoto et al.  
 4,322,816 A \* 3/1982 Spangler ..... G06F 15/0233  
 358/1.3  
 D265,065 S \* 6/1982 Yukl ..... D10/78  
 4,412,210 A 10/1983 Washizuka et al.  
 D278,536 S \* 4/1985 Caven ..... D14/300  
 D279,104 S \* 6/1985 Satake ..... D18/2  
 D279,106 S \* 6/1985 Sawada ..... D14/339  
 D279,110 S \* 6/1985 Takahashi ..... D18/2  
 4,523,858 A 6/1985 Nishimura et al.  
 4,531,194 A 7/1985 Morino et al.  
 4,533,837 A 8/1985 Tanaka et al.  
 D280,418 S \* 9/1985 Hayashi ..... D18/7  
 D282,474 S \* 2/1986 Sparks ..... D18/12  
 D284,288 S \* 6/1986 Satake ..... D18/7  
 D285,575 S \* 9/1986 Satake ..... D18/7  
 D291,325 S \* 8/1987 Yubisui ..... D18/7  
 D293,689 S \* 1/1988 Yubisui ..... D18/7  
 4,718,029 A 1/1988 Morino et al.  
 D294,370 S \* 2/1988 Yubisui ..... D18/7  
 4,727,502 A 2/1988 Katsura  
 4,805,136 A 2/1989 Morino  
 4,811,257 A 3/1989 Sumitani et al.  
 D303,121 S 8/1989 Sakaguchi et al.  
 D303,539 S 9/1989 Sakaguchi et al.  
 D303,677 S 9/1989 Yubisui et al.  
 D303,679 S 9/1989 Sakaguchi et al.  
 D303,680 S 9/1989 Yubisui et al.

D303,681 S 9/1989 Sakaguchi et al.  
 4,866,650 A 9/1989 Oba et al.  
 D303,807 S 10/1989 Yubisui et al.  
 D303,980 S 10/1989 Yubisui et al.  
 D306,743 S \* 3/1990 Onumata ..... D18/7  
 D307,156 S \* 4/1990 Chen ..... D18/7  
 D307,290 S \* 4/1990 Chen ..... D18/7  
 D308,391 S \* 6/1990 Sakaguchi ..... D18/7  
 D308,532 S \* 6/1990 Sakaguchi ..... D18/7  
 D308,533 S \* 6/1990 Sakaguchi ..... D18/7  
 D308,985 S \* 7/1990 Sawada ..... D18/7  
 D309,748 S \* 8/1990 Kobayashi ..... D18/7  
 D312,833 S \* 12/1990 Kobayashi ..... D18/7  
 D315,358 S \* 3/1991 Yubisui ..... D18/2  
 D315,572 S \* 3/1991 Sakaguchi ..... D18/2  
 D317,778 S \* 6/1991 Onumata ..... D18/7  
 D318,286 S \* 7/1991 Sakaguchi ..... D18/7  
 5,123,102 A \* 6/1992 Puckette ..... G06F 15/0216  
 713/601  
 D333,315 S \* 2/1993 Sereika ..... D18/11  
 D343,854 S \* 2/1994 Suzuki ..... D18/11  
 D349,511 S 8/1994 Sakaguchi et al.  
 D349,722 S \* 8/1994 Miyahara ..... D18/7  
 D349,917 S \* 8/1994 Tsuchida ..... D18/2  
 D349,918 S \* 8/1994 Tsuchida ..... D18/2  
 D350,148 S 8/1994 Yubisui et al.  
 5,381,353 A 1/1995 Oba  
 D356,104 S \* 3/1995 Matsumoto ..... D14/332  
 D377,044 S \* 12/1996 Yamabe ..... D18/12  
 D383,773 S 9/1997 Tamaki et al.  
 D394,449 S 5/1998 Shimizu  
 6,081,819 A 6/2000 Ogino  
 D433,056 S 10/2000 Tamaki  
 D433,058 S 10/2000 Okumura et al.  
 D433,059 S 10/2000 Okumura et al.  
 D441,008 S \* 4/2001 Matsuda ..... D18/7  
 D442,618 S 5/2001 Tamaki  
 D458,294 S 6/2002 Makidera  
 D459,384 S 6/2002 Ohki  
 D468,341 S 1/2003 Nishida  
 D477,625 S \* 7/2003 Hsu ..... D18/7  
 D494,208 S \* 8/2004 Wada ..... D18/7  
 D508,520 S \* 8/2005 Suzuki ..... D18/11  
 D546,376 S \* 7/2007 Ono ..... D18/7  
 D546,377 S \* 7/2007 Ono ..... D18/7  
 D568,380 S \* 5/2008 Ono ..... D18/7  
 D652,070 S 1/2012 Takahashi  
 D806,783 S \* 1/2018 Yamamoto ..... D18/7  
 D806,784 S \* 1/2018 Sugioka ..... D18/7  
 D836,711 S \* 12/2018 Kinemura ..... D18/7

OTHER PUBLICATIONS

Quayle Office Action dated Jun. 11, 2018 in Design U.S. Appl. No. 29/595,227.

\* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8