



US00D857144S

(12) **United States Design Patent** (10) **Patent No.:** **US D857,144 S**  
**Pagac** (45) **Date of Patent:** **\*\* Aug. 20, 2019**

- (54) **FLEXIBLE TRIGGER PLUG**
- (71) Applicant: **Stephen J Pagac**, Tucson, AZ (US)
- (72) Inventor: **Stephen J Pagac**, Tucson, AZ (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/665,481**
- (22) Filed: **Oct. 3, 2018**

**Related U.S. Application Data**

- (63) Continuation-in-part of application No. 29/544,017, filed on Oct. 29, 2015.
- (51) **LOC (12) Cl.** ..... **22-01**
- (52) **U.S. Cl.**  
USPC ..... **D22/108**
- (58) **Field of Classification Search**  
USPC ..... D22/100, 108, 199; D23/260; 70/58, 63, 70/202, 211, 312; 42/44, 66, 70.02, 42/70.06, 70.07, 70.11, 150; 63/12-14.9  
CPC ..... F41A 17/20; F41A 17/22; F41A 17/24; F41A 17/26; F41A 17/28; F41A 17/30; F41A 17/32; F41A 17/42; F41A 17/44; F41A 17/46; F41A 17/48; F41A 17/52; F41A 17/54  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D351,013 S \* 9/1994 Mathison ..... D23/200
- 5,400,538 A \* 3/1995 Shannon ..... F41A 17/04  
42/70.06
- D366,289 S \* 1/1996 Newcomer ..... D21/464
- D414,825 S \* 10/1999 Gans ..... D21/464
- D648,810 S \* 11/2011 Bell ..... D21/464
- 8,443,626 B2 \* 5/2013 Simpson ..... A44C 15/0035  
63/12

- D694,343 S \* 11/2013 Bell ..... D21/464
- D726,276 S \* 4/2015 Pagac ..... D22/108
- D791,882 S \* 7/2017 Cole ..... D21/464
- 9,976,828 B2 \* 5/2018 Pagac ..... F41A 17/54
- D837,924 S \* 1/2019 Kunau ..... D22/108
- 2016/0245605 A1 \* 8/2016 Pagac ..... F41A 17/54

**OTHER PUBLICATIONS**

YouTube-Garrison Grip, Publication date Jun. 19, 2016, [Site visited Jan. 14, 2019], Available on the Internet URL [https://www.youtube.com/watch?v=\\_kxCe7ISpJE](https://www.youtube.com/watch?v=_kxCe7ISpJE).\*

(Continued)

*Primary Examiner* — Karen S Acker  
*Assistant Examiner* — Steven B Reinholdt, Jr.



(57) **CLAIM**

The ornamental design for a flexible trigger plug, as shown.

**DESCRIPTION**

FIG. 1 is a front perspective view of a flexible trigger plug; FIG. 2 is another front perspective view thereof; FIG. 3 is another front perspective view thereof; FIG. 4 is another front perspective view thereof; FIG. 5 is a rear perspective view thereof; FIG. 6 is another rear perspective view thereof; FIG. 7 is another rear perspective view thereof; FIG. 8 is another rear perspective view thereof; FIG. 9 is another rear perspective view thereof; FIG. 10 is a left-side elevational view thereof; FIG. 11 is a right-side elevational view thereof; FIG. 12 is a front elevational view thereof; FIG. 13 is a rear elevational view thereof; FIG. 14 is a top plan view thereof; and, FIG. 15 is a bottom plan view thereof.

**1 Claim, 15 Drawing Sheets**



(56)

**References Cited**

OTHER PUBLICATIONS

Garrison Grip, Trigger Stop, Earliest publication date from Internet Archive Mar. 19, 2018, [site visited Jan. 14, 2019], Available on the Internet URL <https://web.archive.org/web/20180319104249/https://garrisongrip.com/trigger-stop-holster-fits-smith-wesson-bodyguard-380-m-p-380-black-s20/>.\*

Pro Hunter Supply, Taurus Small and Medium Frame, Publication date unknown, [Site visited Jan. 14, 2018, Available on the Internet URL <https://prohuntersupply.com/product/2-pack-taurus-small-and-medium-frame-revolver-22-long-rifle-9mm-45-410-357-magnum-and-38-special-quick-release-concealed-carry-micro-holster-trigger>.\*

\* cited by examiner



FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6





FIG. 7



FIG. 8



FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14






FIG. 15