



US00D857344S

(12) **United States Design Patent**
Landis

(10) **Patent No.:** **US D857,344 S**

(45) **Date of Patent:** **** Aug. 27, 2019**

- (54) **VISOR**
- (71) Applicant: **OP-D-OP, INC.**, Roseville, CA (US)
- (72) Inventor: **Timothy J. Landis**, Loomis, CA (US)
- (73) Assignee: **OP-D-OP, INC.**, Roseville, CA (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/648,730**
- (22) Filed: **May 23, 2018**
- (51) **LOC (12) Cl.** **02-03**
- (52) **U.S. Cl.**
USPC **D2/876**
- (58) **Field of Classification Search**
USPC D2/865, 866, 869, 871, 872, 873, 876,
D2/882, 875, 884, 893
CPC .. A42B 1/00; A42B 1/004; A42B 1/02; A42B
1/06; A42B 1/062; A42B 1/201; A42B
1/22; A42B 1/225; A42B 1/24
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D206,191 S *	11/1966	Lawrence	D2/876
D237,758 S *	11/1975	Huffman	2/195.1
D251,336 S *	3/1979	Getgey	D2/876
4,701,965 A *	10/1987	Landis	A41D 13/11 128/857
D299,767 S *	2/1989	Hsin	D16/312
D302,609 S *	8/1989	Wheeler	D29/109
D316,173 S *	4/1991	Morris, Jr.	D2/876
D336,763 S *	6/1993	Oehlschlaeger	D2/876
5,275,419 A *	1/1994	Kazemi	A42B 1/004 2/195.1
5,507,205 A *	4/1996	Ruimi	A42B 1/004 2/195.1

- 5,615,414 A * 4/1997 Landis A42B 1/22
2/12
- 7,490,359 B2 * 2/2009 Landis A41D 13/1184
128/857
- D744,726 S * 12/2015 Shirai D2/876

OTHER PUBLICATIONS

US Trademark Application #73742984 (now Registered Trademark #1528085) for OP-D-OP, filed on Jul. 29, 1988 by OP-D-OP. First use in commerce date May 1986. Retrieved on Mar. 14, 2019. (Year: 1988).*

(Continued)

Primary Examiner — Karen S Acker
Assistant Examiner — Jasmine Mlinarcik
(74) *Attorney, Agent, or Firm* — O'Banion & Ritchey
LLP; John P. O'Banion


(57) **CLAIM**

The ornamental design for a visor, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a visor showing my new design.
FIG. 2 is a front elevational view thereof.
FIG. 3 is a rear elevational view thereof.
FIG. 4 is a left side elevational view thereof.
FIG. 5 is a right side elevational view thereof.
FIG. 6 is a top plan view thereof.
FIG. 7 is a bottom view thereof; and,
FIG. 8 is a front perspective view thereof showing the visor in a position of use.
The broken line showing of the face shield and mini-shield depicts the environment of the claimed design and forms no part thereof.

1 Claim, 4 Drawing Sheets



(56)

References Cited

OTHER PUBLICATIONS

Precision Vision, [on-line]; [Internet Wayback Machine crawl-back publishing date of Feb. 3, 2001]; [retrieved from the Internet on Mar. 14, 2019]; URL: <https://web.archive.org/web/20010203115200/http://opdop.com/visor2.html>. (1 pg). (Year: 2001).*

OP-D-OP website, [on-line]; [Internet Wayback Machine crawl-back publishing date of Aug. 1, 2015]; [retrieved from the Internet on Mar. 14, 2019]; URL: <https://web.archive.org/web/20150801184436/http://opdop.com/>. (2 pgs). (Year: 2015).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8