



US00D857348S

(12) **United States Design Patent**
Chenciner et al.

(10) **Patent No.:** **US D857,348 S**

(45) **Date of Patent:** **** Aug. 27, 2019**

(54) **WATER SHOE**

(71) Applicant: **S9, LLC**, Bonita Springs, FL (US)

(72) Inventors: **John M. Chenciner**, Naples, FL (US);
Matthew Ochipa, Fort Myers, FL (US)

(73) Assignee: **S9, LLC**, Bonita Springs, FL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/668,944**

(22) Filed: **Nov. 2, 2018**

Related U.S. Application Data

(63) Continuation of application No. 29/630,147, filed on Dec. 19, 2017, now Pat. No. Des. 833,122, which is a continuation of application No. 29/567,021, filed on Jun. 3, 2016, now Pat. No. Des. 805,740.

(51) **LOC (12) Cl.** **02-04**

(52) **U.S. Cl.**
USPC **D2/903**

(58) **Field of Classification Search**
USPC D2/896, 902, 903, 900, 907, 916, 919,
D2/923, 946, 969
CPC .. A43B 1/00; A43B 1/009; A43B 3/00; A43B
3/10; A43B 3/101; A43B 3/106; A43B
3/12; A43B 3/124; A43B 5/00; A43B
5/08; A43B 7/12; A43B 7/125; A43B
23/00; A43B 23/02; A43B 23/0205; A43B
23/06

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,084,355 A 4/1963 Ciccotelli
D424,291 S 5/2000 Matis
D424,796 S 5/2000 Matis
D425,290 S 5/2000 Matis
D425,692 S 5/2000 Matis

D428,238 S 7/2000 Price
D428,692 S 8/2000 Haas-Chronis
D432,771 S 10/2000 Matis et al.
D446,385 S 8/2001 MacLeod
D458,442 S 6/2002 Matis
D489,516 S * 5/2004 Gebhardt D2/898
D490,218 S * 5/2004 Gebhardt D2/898
D498,038 S * 11/2004 Gebhardt D2/898
D498,906 S * 11/2004 Gebhardt D2/970
D498,907 S * 11/2004 Gebhardt D2/970
D498,908 S * 11/2004 Gebhardt D2/970
D501,073 S * 1/2005 Gebhardt D2/970
6,993,858 B2 * 2/2006 Seamans A43B 1/0081
36/11.5

(Continued)

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/569,360, filed Jun. 27, 2016.
Design U.S. Appl. No. 29/659,886, filed Aug. 13, 2018.

Primary Examiner — Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm* — Craig R. Miles; CR Miles P.C.

(57) **CLAIM**



The ornamental design for a water shoe, as shown and described.

DESCRIPTION

FIG. 1 is a top, left side perspective view of a water shoe showing our new design;
FIG. 2 is a right side elevation view thereof;
FIG. 3 is a left side elevation view thereof;
FIG. 4 is a front elevation view thereof;
FIG. 5 is a back side elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

The broken lines shown are included for the purpose of illustrating the unclaimed portions of the article and form no part of the claim.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D521,217 S	5/2006	Moehring et al.	
D521,224 S	5/2006	Chen	
D522,725 S	6/2006	Moehring et al.	
D539,013 S *	3/2007	Miller, Jr.	D2/897
D540,019 S *	4/2007	Belley	D2/969
D575,036 S	8/2008	Smith	
D577,178 S	9/2008	Smith	
D587,436 S	3/2009	LaFazia et al.	
D587,880 S	3/2009	LaFazia et al.	
D645,232 S	9/2011	Ratner et al.	
D677,037 S	3/2013	Brunetti	
D693,546 S	11/2013	Chenciner	
D738,073 S	9/2015	Chenciner	
D796,161 S	9/2017	Ochipa et al.	
D796,162 S	9/2017	Ochipa et al.	
D804,153 S *	12/2017	Stahl	D2/900
D805,740 S	12/2017	Chenciner et al.	
D805,741 S	12/2017	Ochipa et al.	
D805,742 S	12/2017	Ochipa et al.	
D806,367 S	1/2018	Chenciner et al.	
D815,414 S	4/2018	Chenciner	
D815,415 S	4/2018	Ochipa et al.	
D833,122 S	11/2018	Chenciner et al.	
D833,719 S	11/2018	Chenciner et al.	
2004/0074108 A1	4/2004	Shikhashvili	
2009/0031587 A1	2/2009	Rusnak	

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

