



US00D857459S

(12) **United States Design Patent** (10) **Patent No.:** **US D857,459 S**
Monni (45) **Date of Patent:** **** Aug. 27, 2019**

(54) **RIBBED PLATE**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Munus International Company Ltd.**,
Hong Kong (HK)

CA 99200 6/2006

(72) Inventor: **Matteo Monni**, Hong Kong (HK)

OTHER PUBLICATIONS

(73) Assignee: **MUNUS INTERNATIONAL
COMPANY, LTD.**

Examination Report dated Feb. 14, 2019 in corresponding Canadian
Application No. 180986.

(**) Term: **15 Years**

Primary Examiner — Cynthia R Underwood

(21) Appl. No.: **29/644,023**

(74) *Attorney, Agent, or Firm* — Drinker Biddle & Reath
LLP

(22) Filed: **Apr. 13, 2018**

(57) **CLAIM**

(51) **LOC (12) Cl.** **07-01**

The ornamental design for a ribbed plate, as shown and
described.

(52) **U.S. Cl.**

USPC **D7/585**

(58) **Field of Classification Search**

USPC D7/584, 585, 500

CPC A47G 19/03; A47G 19/00

See application file for complete search history.

DESCRIPTION

(56) **References Cited**

U.S. PATENT DOCUMENTS

D61,298 S *	8/1922	Goodwin	D7/585
D102,808 S *	1/1937	Van Winkle et al.	D7/585
2,323,356 A *	7/1943	Rosay	A47G 19/03 220/574.3
D154,216 S *	6/1949	Reifsnyder	D7/562
D187,156 S *	2/1960	Masuda	D7/585
D239,686 S *	4/1976	Andersson	D7/562
D374,153 S *	10/1996	Moreno-Montemayor	...	D7/566
D389,741 S *	1/1998	Barrie, II	D9/429
D402,850 S *	12/1998	Davis	D7/550.1
D461,370 S *	8/2002	Seager	D7/531
D501,762 S *	2/2005	Wolhendler	D7/566
D504,282 S *	4/2005	McMullin	D7/543
D518,334 S *	4/2006	Wolhendler	D7/396.5
D525,832 S *	8/2006	Hayes	D7/554.2
D527,584 S *	9/2006	Hayes	D7/545
D563,729 S *	3/2008	Eide	D7/584

(Continued)

FIG. 1 is a top perspective view of a ribbed plate according
to the present invention.

FIG. 2 is a bottom perspective view of the ribbed plate of
FIG. 1.

FIG. 3 is a top view of the ribbed plate of FIG. 1.

FIG. 4 is a bottom view of the ribbed plate of FIG. 1.

FIG. 5 is a left side view of the ribbed plate of FIG. 1, the
right side view, the front view, and the rear view each being
a mirror image of the left side view.

FIG. 6 is a cross-sectional view of the ribbed plate of FIG.
1 taken along lines 6-6.


FIG. 7 is a top perspective view of a ribbed plate according
to another embodiment of the present invention.

FIG. 8 is a top view of the ribbed plate of FIG. 7; and,

FIG. 9 is a cross-sectional view of the ribbed plate of FIG.
7 taken along lines 9-9 in FIG. 8.

The bottom view, left side view, right side view, front view,
and rear view of the ribbed plate of FIG. 7 are identical to
the bottom view, left side view, right side view, front view,
and rear view of the ribbed plate of FIG. 1.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D577,963 S *	10/2008	Eide	D7/585
D595,542 S *	7/2009	Dewey	D7/566
D702,504 S *	4/2014	Tibbets	D7/566
D711,191 S *	8/2014	Lee	D7/388
D722,251 S *	2/2015	Morga	D7/500
9,555,594 B2 *	1/2017	Littlejohn	A47G 19/03
D821,153 S *	6/2018	Klimecki	D7/585
D837,603 S *	1/2019	Ribeiro-Ramalhosa	D7/584

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9