



US00D857515S

(12) **United States Design Patent** (10) **Patent No.:** **US D857,515 S**
Miller (45) **Date of Patent:** **** Aug. 27, 2019**

(54) **BOW TIE BOX**

(71) Applicant: **PVH Corp.**, New York, NY (US)

(72) Inventor: **Douglas Michael Miller**, Long Beach, CA (US)

(73) Assignee: **PVH CORP.**, New York, NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/633,200**

(22) Filed: **Jan. 12, 2018**

Related U.S. Application Data

(62) Division of application No. 29/596,439, filed on Mar. 8, 2017, now Pat. No. Des. 834,407.

(51) **LOC (12) Cl.** **09-01**

(52) **U.S. Cl.**
USPC **D9/635**

(58) **Field of Classification Search**

USPC D9/414–418, 420, 430, 432–433, 441,
D9/521, 424–425, 635, 451, 501, 504,
D9/531, 533–554, 564–575, 686–699,
D9/701–702, 710–711, 722–723, 736,
D9/740, 752, 755–756; D2/606, 710,
D2/730, 762, 767, 787, 792, 795, 813,
D2/821; D11/202, 74; D28/79
CPC .. A45D 2040/0025–0062; B65D 75/36; B65D
43/161; B65D 17/12

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D306,883 S * 3/1990 Ukisu D3/271.12
D346,960 S * 5/1994 Bennett D9/418
D368,572 S * 4/1996 Pon D2/606
D392,433 S * 3/1998 Norris D32/40
D527,497 S * 8/2006 Grimes D30/160

D534,333 S * 1/2007 Jones D2/606
D549,573 S * 8/2007 Liebe D9/420
D554,401 S * 11/2007 Kim D6/703
7,311,196 B2 12/2007 Kim 206/278
D598,635 S * 8/2009 Geoffrion D1/127
D670,941 S * 11/2012 Vernon D6/716.4
8,365,914 B2 2/2013 Learn 206/497
D727,164 S * 4/2015 Staab D9/635
D759,315 S * 6/2016 Mather D28/87

(Continued)

OTHER PUBLICATIONS

“Lovely Package”, posted Jan. 10, 2011 [online], [retrieved Mar. 26, 2019]. Retrieved from internet, <http://lovelypackage.com/student-work-krisna-macdonald/>.*

Primary Examiner — Barbara Fox

Assistant Examiner — Mehri F Bajoul

(74) *Attorney, Agent, or Firm* — Venable LLP

(57) **CLAIM**

The ornamental design for a bow tie box, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a bow tie box showing the new design, in a fully closed position;

FIG. 2 is a perspective view thereof in a fully open position;

FIG. 3 is a top plan view thereof in the fully closed position;

FIG. 4 is a front side elevational view thereof, the opposite side being a mirror image;


FIG. 5 is a left side elevational view thereof, the opposite side being a mirror image;

FIG. 6 is a bottom plan view thereof in the fully closed position; and,

FIG. 7 is a top plan view thereof showing the inside of the cover when flipped open.

The broken lines showing a bow tie are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D762,352 S	*	8/2016	Shelby	D2/895
D777,580 S	*	1/2017	Lloyd	D9/451
D778,526 S	*	2/2017	Martin	D1/125
D788,997 S	*	6/2017	Fore	D30/145
D820,684 S	*	6/2018	Egner	D9/635
D834,407 S	*	11/2018	Miller	D9/631

* cited by examiner






FIG. 1






FIG. 4




FIG. 5




FIG. 6




FIG. 7