



US00D857618S

(12) **United States Design Patent** (10) **Patent No.:** **US D857,618 S**
Seguy et al. (45) **Date of Patent:** **** Aug. 27, 2019**

(54) **TIRE FOR MOTORCYCLE**
(71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**
(72) Inventors: **Julien Michel Sylvain Seguy, Riom (FR); Jean-Luc Faure, Villebret (FR); Eric Rossignaud, Villebret (FR); Auguste Elichiry, Saint Victor (FR); Giovanni Dalla Torre, Berschbach (LU); Maxime Lamour, St. Caprais (FR); Guillaume Royat, Pont-du-chateau (FR)**
(73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**
(**) Term: **15 Years**
(21) Appl. No.: **29/627,708**
(22) Filed: **Nov. 29, 2017**
(51) **LOC (12) Cl.** **12-15**
(52) **U.S. Cl.**
USPC **D12/535**
(58) **Field of Classification Search**
USPC D12/533-567, 604
CPC Y10T 152/10027; B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 3/06; B60C 9/17
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D346,351 S 4/1994 Suzuki D12/151
D420,312 S 2/2000 Hara D12/151
D490,360 S 5/2004 Jackson et al. D12/535
D522,449 S 6/2006 Toyozawa et al. D12/535
D522,958 S 6/2006 Matsunami et al. D12/535
D522,960 S 6/2006 Matsunami et al. D12/535

D523,390 S 6/2006 Matsunami et al. D12/535
D524,724 S 7/2006 Itoi D12/535
D528,066 S 9/2006 Shibamoto D12/535
D542,215 S 5/2007 Jackson et al. D12/535
D554,044 S 10/2007 Shibamoto D12/535
D554,048 S 10/2007 Matsunami et al. D12/535
D555,073 S 11/2007 Zawistowski et al. D12/535
D555,074 S 11/2007 Zawistowski et al. D12/535
D569,787 S 5/2008 Shibamoto et al. D12/535
D570,279 S 6/2008 Lo D12/535
D579,857 S 11/2008 Kumamoto D12/535
D579,858 S 11/2008 Kumamoto D12/535
D587,645 S 3/2009 Steinbach D12/535
D601,943 S 10/2009 Shibamoto D12/535
D629,740 S 12/2010 Board D12/535
D630,160 S 1/2011 Board D12/535
D635,504 S 4/2011 Nakamura D12/535
D637,139 S * 5/2011 Nakamura D12/535
D639,232 S 6/2011 Sugimoto et al. D12/535
D659,078 S 5/2012 Takenaka D12/535

(Continued)

Primary Examiner — Lakiya G Rogers
Assistant Examiner — John A Voytek
(74) *Attorney, Agent, or Firm* — Robert N. Lipsik


(57) **CLAIM**

The ornamental Design for a tire for motorcycle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire for motorcycle showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a right side elevational view thereof; the left side elevational view being identical thereto; and,
FIG. 4 is an enlarged fragmentary front elevational view thereof.
It is understood that the interior of the tire forms no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D659,079 S *	5/2012	Takenaka	D12/535
D674,736 S	1/2013	Lamour	D12/535
D674,737 S	1/2013	Lamour	D12/535
D678,177 S	3/2013	Larregain	D12/535
D678,179 S	3/2013	Larregain	D12/535
D705,717 S	5/2014	Itoi	D12/535
D717,234 S	11/2014	Fontaine et al.	D12/535
D717,235 S	11/2014	Fontaine et al.	D12/535
D718,222 S	11/2014	Winkelman et al.	D12/535
D718,700 S	12/2014	Yao et al.	D12/535
D718,702 S	12/2014	Winkelman et al.	D12/535
D719,082 S	12/2014	Winkelman et al.	D12/535
D728,454 S *	5/2015	Kubo	D12/535
D750,012 S	2/2016	Fontaine et al.	D12/535
D750,547 S	3/2016	Fontaine et al.	D12/535
D754,585 S	4/2016	Otani et al.	D12/535
D754,586 S	4/2016	Otani et al.	D12/535
D778,807 S	2/2017	Otani	D12/535
D779,412 S	2/2017	Otani	D12/535
D779,413 S	2/2017	Otani	D12/535
D782,395 S *	3/2017	Vowles	D12/535
D789,875 S *	6/2017	Itoi	D12/535
D808,893 S *	1/2018	Seguy	D12/535
D827,552 S *	9/2018	Maeda	D12/535

* cited by examiner



FIG - 1




FIG - 2



FIG - 3




FIG - 4