



US00D857970S

(12) **United States Design Patent**  
**Yang**

(10) **Patent No.:** **US D857,970 S**

(45) **Date of Patent:** **\*\* Aug. 27, 2019**

(54) **LOW PROFILE LIGHT**

(71) Applicant: **Nathan Yang**, Surrey (CA)

(72) Inventor: **Nathan Yang**, Surrey (CA)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/653,119**

(22) Filed: **Jun. 12, 2018**

(51) **LOC (12) Cl.** ..... **26-03**

(52) **U.S. Cl.**  
USPC ..... **D26/89**

(58) **Field of Classification Search**  
USPC ..... D26/72, 80, 83, 85, 86, 87, 88, 89  
CPC ..... F21S 8/03; F21S 8/04; F21S 8/043; F21S  
8/046; F21S 8/06; F21S 8/061; F21S  
8/063; F21V 21/02; F21V 21/03  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D47,610 S \* 7/1915 Owen ..... D26/130
- 3,836,766 A \* 9/1974 Auerbach ..... F21S 8/033  
362/311.14
- 4,234,916 A \* 11/1980 Goralnik ..... F21S 8/04  
248/343
- 4,302,798 A \* 11/1981 Sit ..... F21S 8/04  
362/147
- D484,270 S \* 12/2003 Yiu ..... D26/89
- D490,183 S \* 5/2004 Benensohn ..... D26/79
- D630,368 S \* 1/2011 de Rijck ..... D26/89
- D765,903 S \* 9/2016 Zhang ..... D26/89
- D834,236 S \* 11/2018 Amato ..... D26/89

- 2007/0253192 A1\* 11/2007 Monteiro ..... F21V 15/00  
362/147
- 2018/0335185 A1\* 11/2018 Boulanger ..... F21L 4/08
- 2018/0356057 A1\* 12/2018 Xu ..... F21S 8/04

**OTHER PUBLICATIONS**

3 Light Flushmount in Brushed Nickel: CG46 from Inspire Light-  
ing. inspire-lighting.com visited Apr. 16, 2019. (Year: 2019).\*

Terminal Flushmount: T80Y from Inspire Lighting. inspire-lighting.  
com visited Apr. 16, 2019. (Year: 2019).\*

Stockton FM42806 from Kuzco Lighting. kuzcolighting.com vis-  
ited Apr. 16, 2019. (Year: 2019).\*

Terminal Flushmount in oil rubbed bronze, model No. TMN161201  
Spec Sheet from Quoizel Lighting dated Mar. 31, 2013. (Year:  
2013).\*

\* cited by examiner

*Primary Examiner* — Clare E Heflin

(74) *Attorney, Agent, or Firm* — Gulf Coast Intellectual  
Property Group

(57) **CLAIM**

The ornamental design for the low profile light, as shown  
and described.

**DESCRIPTION**

FIG. 1 is a front view of the low profile light of the present  
invention; and

FIG. 2 is the first side view thereof; and



FIG. 3 is the second side view thereof; and


FIG. 4 is the third side view thereof; and

FIG. 5 is the fourth side view thereof; and,


FIG. 6 is a perspective view thereof.

**1 Claim, 3 Drawing Sheets**







**FIG. 1**




**FIG. 2**




**FIG. 3**



**FIG. 4**



**FIG. 5**



**FIG. 6**