



US00D858027S

(12) **United States Design Patent** (10) **Patent No.:** **US D858,027 S**
Skeid et al. (45) **Date of Patent:** **** Aug. 27, 2019**

(54) **STORAGE AND TRANSPORT CONTAINER**

(71) Applicants: **Eirik Smedsrud Skeid**, Fornebu (NO);
Jonas Dovik, Oslo (NO)

(72) Inventors: **Eirik Smedsrud Skeid**, Fornebu (NO);
Jonas Dovik, Oslo (NO)

(**) Term: **15 Years**

(21) Appl. No.: **29/603,457**

(22) Filed: **May 10, 2017**

(51) **LOC (12) Cl.** **09-08**

(52) **U.S. Cl.**
USPC **D34/38; D3/272**

(58) **Field of Classification Search**
USPC D34/28, 32, 30, 33, 34, 35, 36, 37, 38;
D25/62, 66, 67; 182/14, 69.6, 148, 19;
220/1.5, 682, 4.31, 7, 4.33, 6, 8, 4.28;
D3/272, 273
CPC B66F 11/04; B66F 11/044; B66F 17/006;
B66F 9/127; B66F 11/046; B66F 9/0655;
B66F 9/12; B66B 9/16
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,324,172	A *	4/1982	Cazals	B65D 19/10 220/4.28
4,662,532	A *	5/1987	Anderson	B65D 19/12 220/1.5
6,164,476	A *	12/2000	Rene	B65D 19/12 220/4.28
6,170,686	B1 *	1/2001	Flores	B65D 7/24 220/4.33
7,708,160	B2 *	5/2010	Booth	B62B 3/16 220/4.28
D663,043	S *	7/2012	Preston	D25/66
8,550,277	B2 *	10/2013	Gronholm	B65D 19/10 220/4.01

(Continued)

Primary Examiner — Cynthia Ramirez

Assistant Examiner — Gino Colan

(74) *Attorney, Agent, or Firm* — Michael A. Blake


(57) **CLAIM**

The ornamental design for a storage and transport container, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a storage and transport container;
 FIG. 2 is a front elevation view of the storage and transport container;
 FIG. 3 is a side elevation view of the storage and transport container;
 FIG. 4 is a top view of the storage and transport container;
 FIG. 5 is a rear elevation view of the storage and transport container;
 FIG. 6 is bottom view of the storage and transport container;
 FIG. 7 is a perspective view of the storage and transport container with the doors and gate opened;
 FIG. 8 is a front elevation view of the storage and transport container with the doors and gate opened;
 FIG. 9 is a side elevation view of the storage and transport container with the doors and gate opened;
 FIG. 10 is a top view of the storage and transport container with the doors and gate opened;
 FIG. 11 is a rear elevation view of the storage and transport container with the doors and gate opened;
 FIG. 12 is a perspective view of the storage and transport container in a collapsed orientation; and,
 FIG. 13 is an exploded view of the storage and transport container before being placed in a collapsed orientation.
 The broken lines shown in FIG. 6 are included for the purpose of illustrating portions of the storage and transport container and form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,631,965	B2 *	1/2014	Leasure	B65D 7/12 206/600
9,038,838	B2 *	5/2015	Skeid	B65D 88/528 220/1.5
9,248,959	B2 *	2/2016	Skeid	B65D 90/24
9,452,881	B2 *	9/2016	Skeid	B65D 90/008
9,580,236	B1 *	2/2017	Skeid	B65D 19/08

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12

