



US00D858177S

(12) **United States Design Patent**  
**Berge et al.**

(10) **Patent No.:** **US D858,177 S**  
(45) **Date of Patent:** **\*\* Sep. 3, 2019**

- (54) **GRIDDLE**
- (71) Applicant: **National Presto Industries, Inc.**, Eau Claire, WI (US)
- (72) Inventors: **Michael R. Berge**, Eau Claire, WI (US); **Justun C. Seymour**, Eau Claire, WI (US)
- (73) Assignee: **National Presto Industries, Inc.**, Eau Claire, WI (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/647,961**
- (22) Filed: **May 17, 2018**
- (51) **LOC (12) Cl.** ..... **07-02**
- (52) **U.S. Cl.**  
USPC ..... **D7/362; D7/409**
- (58) **Field of Classification Search**  
USPC ..... D7/323, 328–330, 337, 347, 352–364, D7/367, 402, 409–411; D24/206  
CPC . A21B 5/023; A47J 27/60; A47J 27/62; A47J 37/04; A47J 37/06; A47J 37/067; A47J 37/0605; A47J 37/0611; A47J 37/0623; A47J 37/0629; A47J 37/0676; A47J 37/0682; A47J 37/0786; A47J 2037/06; A47J 2037/0611; F24C 15/10; F24C 15/102; H05B 6/02; H05B 6/062  
See application file for complete search history.
- D335,240 S 5/1993 Critchfield et al.  
D366,390 S 1/1996 Vitantonio  
D375,868 S 11/1996 Larson  
5,740,723 A \* 4/1998 Lin ..... A47J 37/0682 126/39 K  
  
D409,041 S 5/1999 Barker  
D412,808 S 8/1999 Hinton et al.  
6,016,741 A 1/2000 Tsai et al.  
6,064,042 A 5/2000 Glucksman et al.  
D431,152 S 9/2000 Lee  
D436,796 S 1/2001 Kalina et al.  
6,186,055 B1 2/2001 DeMars et al.  
D441,250 S 5/2001 Choi  
6,472,644 B1 10/2002 Wu  
D484,737 S 1/2004 Bodum  
D500,629 S \* 1/2005 Huggler ..... D7/352  
D505,044 S 5/2005 Hei  
D533,016 S 12/2006 Genslak et al.  
D564,826 S 3/2008 Chin  
D575,098 S 8/2008 Seymour  
7,523,697 B2 4/2009 Hedrington  
D602,597 S \* 10/2009 Nomi ..... D24/206  
D618,047 S 6/2010 Seymour  
D644,867 S 9/2011 Janvier  
D658,429 S 5/2012 Berge  
D674,656 S 1/2013 Berge et al.  
D696,549 S \* 12/2013 Pennington ..... D7/363  
9,192,178 B2 11/2015 Berge et al.  
D745,802 S \* 12/2015 Yao ..... D7/352  
9,211,029 B2 \* 12/2015 Lin ..... A47J 37/0676  
D760,018 S \* 6/2016 Koszylko ..... D7/352  
D793,801 S \* 8/2017 Bassill ..... D7/362  
D823,047 S \* 7/2018 Seymour ..... D7/363  
2006/0163242 A1 7/2006 Ciancimino et al.  
2014/0360383 A1 \* 12/2014 Hamlin ..... A47J 37/0786 99/340


(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 345,530 A 7/1886 Paris  
2,274,285 A 2/1942 Walker  
D139,751 S 12/1944 Springwell  
2,547,982 A 4/1951 Sivley  
D187,835 S \* 5/1960 Lee ..... D7/356  
D229,448 S \* 11/1973 Traclet ..... D7/337  
D281,215 S 11/1985 Lastuck  
D285,523 S 9/1986 Ayukawa et al.  
D286,494 S 11/1986 Lastuck  
D289,847 S \* 5/1987 Okamoto ..... D7/363  
D296,509 S 7/1988 Fuke

**OTHER PUBLICATIONS**

- Presto® 20-inch Cool Touch Electric Griddle, webpage, <http://www.gopresto.com/products/products.php?stock=07030>, Nov. 7, 2011, 2 pages.
- Presto® 22-inch Electric Griddle, webpage, <http://www.gopresto.com/products/products.php?stock=07039>, Nov. 7, 2011, 2 pages.
- Presto® 22-inch Electric Griddle with Removable Handles, webpage, <http://www.gopresto.com/products/products.php?stock=07061>, Nov. 7, 2011, 2 pages.
- Presto® Cool Touch Electric Griddle, webpage, <http://www.gopresto.com/products/products.php?stock=07047>, Nov. 7, 2011, 2 pages.
- Presto® Cool Touch Electric Foldaway™ Griddle, webpage, <http://www.gopresto.com/products/products.php?stock=07050>, Nov. 7, 2011, 2 pages.



Presto® Cool Touch Electric Tilt'nDrain™ Griddle, webpage, <http://www.gopresto.com/products/products.php?stock=07045>, Nov. 7, 2011, 2 pages.

Presto® Liddle Griddle® mini griddle, webpage, <http://www.gopresto.com/products/products.php?stock=07211>, Nov. 7, 2011, 2 pages.

Presto® Tilt'nDrain™ BigGriddle cool touch electric griddle, webpage, <http://www.gopresto.com/products/products.php?stock=07046>, Nov. 7, 2011, 3 pages.

APW Wyatt 23780 7 Qt. Notched/Hinged Stainless Steel Inset Cover, webpage, <http://www.webstaurantstore.com/apw-wyott-23780-7-qt-notched-hinged-stainless-steel-inset-cover/13523780.html>, printed Feb. 2, 2012, 2 pages.

Oster 12-inch Skillet with Hinged Lid, webpage, <http://www.oster.com/ProductDetails.aspx?pid=1625>, printed Feb. 7, 2012, 1 page.

\* cited by examiner

*Primary Examiner* — Ricky Pham

(74) *Attorney, Agent, or Firm* — Patterson Thuente Pedersen, P.A.

## (57) CLAIM

We claim the ornamental design for griddle, as shown and described.

## DESCRIPTION

FIG. 1 is a top view of a griddle according to an embodiment of the invention.

FIG. 2 is a front view of the griddle depicted in FIG. 1.

FIG. 3 is a rear view of the griddle depicted in FIG. 1.

FIG. 4 is a left side view of the griddle depicted in FIG. 1.

FIG. 5 is a right side view of the griddle depicted in FIG. 1.

FIG. 6 is a bottom view of the griddle depicted in FIG. 1.

FIG. 7 is a top, front perspective view of the griddle depicted in FIG. 1.

FIG. 8 is a top view of a griddle according to another embodiment of the invention.

FIG. 9 is a front view of the griddle depicted in FIG. 8.

FIG. 10 is a rear view of the griddle depicted in FIG. 8.

FIG. 11 is a left side view of the griddle depicted in FIG. 8.

FIG. 12 is a right side view of the griddle depicted in FIG. 8.

FIG. 13 is a bottom view of the griddle depicted in FIG. 8.

FIG. 14 is a top, front perspective view of the griddle depicted in FIG. 8.

FIG. 15 is a top view of a griddle according to an embodiment of the invention.

FIG. 16 is a front view of the griddle depicted in FIG. 15.

FIG. 17 is a rear view of the griddle depicted in FIG. 15.

FIG. 18 is a left side view of the griddle depicted in FIG. 15.

FIG. 19 is a right side view of the griddle depicted in FIG. 15.

FIG. 20 is a bottom view of the griddle depicted in FIG. 15.

FIG. 21 is a top, front perspective view of the griddle depicted in FIG. 15.

FIG. 22 is a top view of a griddle according to another embodiment of the invention.

FIG. 23 is a front view of the griddle depicted in FIG. 22.

FIG. 24 is a rear view of the griddle depicted in FIG. 22.

FIG. 25 is a left side view of the griddle depicted in FIG. 22.

FIG. 26 is a right side view of the griddle depicted in FIG. 22.

FIG. 27 is a bottom view of the griddle depicted in FIG. 22.

FIG. 28 is a top, front perspective view of the griddle depicted in FIG. 22.

FIG. 29 is a top view of a griddle according to another embodiment of the invention.

FIG. 30 is a front view of the griddle depicted in FIG. 29.

FIG. 31 is a rear view of the griddle depicted in FIG. 29.

FIG. 32 is a left side view of the griddle depicted in FIG. 29.

FIG. 33 is a right side view of the griddle depicted in FIG. 29.

FIG. 34 is a bottom view of the griddle depicted in FIG. 29.

FIG. 35 is a top, front perspective view of the griddle depicted in FIG. 29.

FIG. 36 is a top view of a griddle according to an embodiment of the invention.

FIG. 37 is a front view of the griddle depicted in FIG. 36.

FIG. 38 is a rear view of the griddle depicted in FIG. 36.

FIG. 39 is a left side view of the griddle depicted in FIG. 36.

FIG. 40 is a right side view of the griddle depicted in FIG. 36.

FIG. 41 is a bottom view of the griddle depicted in FIG. 36.

FIG. 42 is a top, front perspective view of the griddle depicted in FIG. 36.

FIG. 43 is a top view of a griddle according to another embodiment of the invention.

FIG. 44 is a front view of the griddle depicted in FIG. 43.

FIG. 45 is a rear view of the griddle depicted in FIG. 43.

FIG. 46 is a left side view of the griddle depicted in FIG. 43.

FIG. 47 is a right side view of the griddle depicted in FIG. 43.

FIG. 48 is a bottom view of the griddle depicted in FIG. 43.

FIG. 49 is a top, front perspective view of the griddle depicted in FIG. 43.

FIG. 50 is a top view of a griddle according to an embodiment of the invention.

FIG. 51 is a front view of the griddle depicted in FIG. 50.

FIG. 52 is a rear view of the griddle depicted in FIG. 50.

FIG. 53 is a left side view of the griddle depicted in FIG. 50.

FIG. 54 is a right side view of the griddle depicted in FIG. 50.

FIG. 55 is a bottom view of the griddle depicted in FIG. 50.

FIG. 56 is a top, front perspective view of the griddle depicted in FIG. 50.

FIG. 57 is a top view of griddle according to another embodiment of the invention.

FIG. 58 is a front view of the griddle depicted in FIG. 57.

FIG. 59 is a rear view of the griddle depicted in FIG. 57.

FIG. 60 is a left side view of the griddle depicted in FIG. 57.

FIG. 61 is a right side view of the griddle depicted in FIG. 57.

FIG. 62 is a bottom view of the griddle depicted in FIG. 57.

FIG. 63 is a top, front perspective view of the griddle depicted in FIG. 57.

FIG. 64 is a top view of a griddle according to another embodiment of the invention.

FIG. 65 is a front view of the griddle depicted in FIG. 64.

FIG. 66 is a rear view of the griddle depicted in FIG. 64.

FIG. 67 is a left side view of the griddle depicted in FIG. 64.

FIG. 68 is a right side view of the griddle depicted in FIG. 64.

FIG. 69 is a bottom view of the griddle depicted in FIG. 64; and,

FIG. 70 is a top, front perspective view of the griddle depicted in FIG. 64.

The broken lines in the drawings illustrate portions of the griddle that form no part of the claimed design and may depict environmental subject matter only.

**1 Claim, 70 Drawing Sheets**






FIG. 1

**FIG. 2**



**FIG. 3**



**FIG. 4**





FIG. 5







FIG. 6

FIG. 7








FIG. 8


**FIG. 9**




**FIG. 10**



**FIG. 11**



**FIG. 12**







FIG. 13

**FIG. 14**







FIG. 15

**FIG. 16**



**FIG. 17**




FIG. 18





FIG. 19







FIG. 20

FIG. 21







FIG. 22

**FIG. 23**



**FIG. 24**




FIG. 25





FIG. 26







FIG. 27

FIG. 28






FIG. 29

**FIG. 30**




FIG. 31




FIG. 32





FIG. 33








FIG. 34


**FIG. 35**





**FIG. 36**

**FIG. 37**



**FIG. 38**






FIG. 39



**FIG. 40**







FIG. 41

FIG. 42






FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48




FIG. 49




FIG. 50




FIG. 51




FIG. 52




FIG. 53




FIG. 54




FIG. 55




FIG. 56




FIG. 57




FIG. 58




FIG. 59




FIG. 60




FIG. 61




FIG. 62




FIG. 63




FIG. 64




FIG. 65




FIG. 66




FIG. 67




FIG. 68




FIG. 69




FIG. 70

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : D858,177 S  
APPLICATION NO. : 29/647961  
DATED : September 3, 2019  
INVENTOR(S) : Michael R. Berge et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page


On page 2, Column 2, Line 28:

Delete “button” and insert --bottom--

On page 2, Column 2, Line 54:

Delete “s” and insert --is--

Signed and Sealed this  
Seventh Day of January, 2020



Andrei Iancu  
*Director of the United States Patent and Trademark Office*