



US00D858427S

(12) **United States Design Patent** (10) **Patent No.:** **US D858,427 S**  
**Kochanek** (45) **Date of Patent:** **\*\* Sep. 3, 2019**

(54) **TIRE TREAD**

(71) Applicant: **COOPER TIRE & RUBBER COMPANY**, Findlay, OH (US)

(72) Inventor: **Zachary Kochanek**, Findlay, OH (US)

(73) Assignee: **COOPER TIRE & RUBBER COMPANY**, Findlay, OH (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/624,644**

(22) Filed: **Nov. 2, 2017**

(51) **LOC (12) Cl.** ..... **12-15**

(52) **U.S. Cl.**  
USPC ..... **D12/583**

(58) **Field of Classification Search**  
USPC ..... D12/568-605  
CPC ..... Y10T 152/10027; B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 3/06; B60C 9/17

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|           |     |         |                  |         |
|-----------|-----|---------|------------------|---------|
| 4,697,627 | A   | 10/1987 | Mitsutake        |         |
| 4,703,788 | A   | 11/1987 | Kusube et al.    |         |
| D365,797  | S * | 1/1996  | Hermann          | D12/598 |
| D388,369  | S   | 12/1997 | Harden, Jr.      |         |
| D389,102  | S * | 1/1998  | Gillard          | D12/596 |
| 5,957,180 | A   | 9/1999  | Kuramochi et al. |         |
| D425,457  | S * | 5/2000  | Gillard          | D12/596 |
| D427,954  | S   | 7/2000  | De Coninck       |         |
| D445,070  | S   | 7/2001  | Schuster         |         |
| D499,067  | S   | 11/2004 | Wage             |         |
| D500,472  | S   | 1/2005  | Campana et al.   |         |
| D548,174  | S   | 8/2007  | Souchet          |         |
| D559,773  | S   | 1/2008  | Campana          |         |
| D583,312  | S   | 12/2008 | Murphy et al.    |         |
| D608,728  | S * | 1/2010  | Brown            | D12/584 |

|          |     |         |                          |         |
|----------|-----|---------|--------------------------|---------|
| D608,729 | S * | 1/2010  | Brown                    | D12/600 |
| D615,486 | S   | 5/2010  | Souchet                  |         |
| D618,613 | S   | 6/2010  | Vandaele et al.          |         |
| D624,490 | S   | 9/2010  | Kaji                     |         |
| D629,351 | S   | 12/2010 | Jacobs                   |         |
| D631,002 | S   | 1/2011  | Cazin-Bourguignon et al. |         |
| D637,152 | S   | 5/2011  | Maus et al.              |         |

(Continued)

**FOREIGN PATENT DOCUMENTS**

|    |             |         |
|----|-------------|---------|
| CN | 3375804     | 6/2004  |
| CN | 301425539 S | 12/2010 |

(Continued)

*Primary Examiner* — Lakiya G Rogers

*Assistant Examiner* — John A Voytek

(74) *Attorney, Agent, or Firm* — Fay Sharpe LLP

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a tire including the tire tread of the present application taken generally from the front and a first side of the tire;

FIG. 2 is a front view thereof;

FIG. 3 is side view thereof, the opposite side being identical;



FIG. 4 is an enlarged, partial perspective view thereof;

FIG. 5 is an enlarged, partial front view thereof; and,

FIG. 6 is an enlarged, partial side view thereof.

In the drawings, the broken lines depict portions of the tire that form no part of the claimed design. Likewise, the tire interior forms no part of the claim. Further, it is understood that the circumferential broken line closest to the elements shown in solid line represent boundaries of the claim. The tread pattern is understood to repeat throughout the circumference of the tire.

**1 Claim, 6 Drawing Sheets**



(56)                      **References Cited**

U.S. PATENT DOCUMENTS

|           |     |         |                         |         |
|-----------|-----|---------|-------------------------|---------|
| D645,810  | S   | 9/2011  | Le et al.               |         |
| D651,968  | S * | 1/2012  | Westaway .....          | D12/602 |
| D653,197  | S   | 1/2012  | Buchinger-Barnstorf     |         |
| D660,224  | S * | 5/2012  | Takahashi .....         | D12/602 |
| D661,643  | S   | 6/2012  | Kaji                    |         |
| D702,180  | S   | 4/2014  | Le et al.               |         |
| 8,800,618 | B2  | 8/2014  | Shimizu                 |         |
| D713,782  | S   | 9/2014  | Krier et al.            |         |
| D715,730  | S   | 10/2014 | Buchinger-Barnstorf     |         |
| D717,240  | S * | 11/2014 | Buchinger-Barnstorf ... | D12/602 |
| D719,907  | S * | 12/2014 | Ohara .....             | D12/588 |
| D730,813  | S * | 6/2015  | Yamamoto .....          | D12/583 |
| D738,811  | S   | 9/2015  | Drake                   |         |
| D739,342  | S   | 9/2015  | Koog                    |         |
| D748,045  | S   | 1/2016  | Kitamura                |         |
| D751,031  | S   | 3/2016  | Yamamoto et al.         |         |
| D758,290  | S   | 6/2016  | Kitajima                |         |
| D761,194  | S   | 7/2016  | Dixon et al.            |         |
| D761,197  | S   | 7/2016  | Dixon et al.            |         |
| D763,179  | S   | 8/2016  | Kitajima                |         |
| D766,818  | S * | 9/2016  | Young .....             | D12/602 |
| D768,561  | S   | 10/2016 | Brown et al.            |         |
| D780,105  | S   | 2/2017  | Renis                   |         |
| D781,220  | S   | 3/2017  | Scheifele et al.        |         |
| D816,599  | S * | 5/2018  | Dixon .....             | D12/603 |
| D823,782  | S * | 7/2018  | Bortolet .....          | D12/583 |

FOREIGN PATENT DOCUMENTS

|    |                |   |        |
|----|----------------|---|--------|
| CN | 302298700      | S | 1/2013 |
| CN | 302864296      | S | 7/2014 |
| CN | 302864303      | S | 7/2014 |
| EM | 000330253-0011 |   | 3/2005 |

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6