



US00D858782S

(12) **United States Design Patent** (10) **Patent No.:** **US D858,782 S**
Kellock et al. (45) **Date of Patent:** **** Sep. 3, 2019**

(54) **HEAD AND NECK SUPPORT FRAME OF A TRAVEL SUPPORT STRUCTURE**

(71) Applicant: **COOLSIDE LIMITED**, East Kilbride (GB)

(72) Inventors: **David Kellock**, East Kilbride (GB);
Michael Corrigan, East Kilbride (GB)

(73) Assignee: **COOLSIDE LIMITED**, East Kilbride (GB)

(**) Term: **15 Years**

(21) Appl. No.: **29/624,842**

(22) Filed: **Nov. 3, 2017**

Related U.S. Application Data

(63) Continuation-in-part of application No. 14/405,115, filed as application No. PCT/GB2013/000246 on May 30, 2013.

(30) **Foreign Application Priority Data**

Jun. 2, 2012 (GB) 1209898.4

Jun. 28, 2012 (GB) 1211489.8

May 1, 2013 (GB) 1307905.8

(51) **LOC (12) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/191**

(58) **Field of Classification Search**

USPC D6/601; D24/188–190; D2/501

CPC A61F 5/3707; A61F 5/055; B60N 2/4879;

B60N 2/4882; B60N 2/48; A47G 9/1009;

A47G 9/1054; A47G 9/1081; Y10S

128/23; A47C 7/383; A47C 16/00; A47C

7/38; A47C 7/029; A47C 31/126

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,289,538 B1 * 9/2001 Fidge A47C 7/383
297/393

6,308,345 B1 * 10/2001 Williams, Jr. A41D 13/0512
2/467

6,786,554 B1 * 9/2004 Zahiri B60N 2/882
297/393

7,197,781 B2 * 4/2007 Ramsbottom A61F 5/055
5/636

D647,624 S * 10/2011 Thorgilsdottir D24/191

8,418,293 B2 * 4/2013 Tansingco B60N 2/882
5/636

8,938,820 B2 * 1/2015 Mazzarolo A41D 13/0512
2/468

9,247,837 B1 * 2/2016 Blake A47G 9/1081

D815,747 S * 4/2018 Kellock B60N 2/80
D24/190

D828,675 S * 9/2018 Kellock D2/501

D844,154 S * 3/2019 Kellock D24/190

D844,155 S * 3/2019 Kellock D24/190

* cited by examiner

Primary Examiner — Jennifer L Watkins

(74) *Attorney, Agent, or Firm* — Arash Behravesht;
Mannava & Kang, P.C.

(57) **CLAIM**

What is claimed is the ornamental design for a head and neck support frame of a travel support structure, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a head and neck support frame showing a new design;

FIG. 2 is a top view thereof;


FIG. 3 is a side view thereof;

FIG. 4 is a front view thereof; and,

FIG. 5 is bottom view thereof.

In the drawings, the broken lines depict portions of the article and form no part of the claim.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5