



US00D859142S

(12) **United States Design Patent** (10) **Patent No.:** **US D859,142 S**
Giraud et al. (45) **Date of Patent:** **** Sep. 10, 2019**

(54) **CONTAINER**

CPC B65D 1/00; B65D 23/00; B65D 39/0035;
B65D 81/00; B65D 83/04; B65D 2501/00
See application file for complete search history.

(71) Applicant: **CSP TECHNOLOGIES, INC.**,
Auburn, AL (US)

(56) **References Cited**

(72) Inventors: **Jean-Pierre Giraud**, Auburn, AL (US);
Herve Pichot, Chennevieres-sur-Marne
(FR); **Sikko Valk**, Delft (NL); **Abke**
Geels, Den Hoorn (NL)

U.S. PATENT DOCUMENTS

5,878,873	A *	3/1999	Clark	A45C 11/04
					206/6
D466,012	S *	11/2002	Baker	D9/416
D470,765	S *	2/2003	Baker	D9/416
D493,617	S *	8/2004	Armato	D3/294
D555,490	S *	11/2007	Liu	D9/549
D560,491	S *	1/2008	Munford	D9/415
D587,973	S *	3/2009	Romano	D7/612
D598,738	S *	8/2009	Supranowicz	D9/420
D599,032	S *	8/2009	Bucholtz	D24/224

(Continued)

(73) Assignee: **CSP TECHNOLOGIES, INC.**,
Auburn, AL (US)

Primary Examiner — Dana Meyrow
(74) *Attorney, Agent, or Firm* — Mark T. Vogelbacher;
Eckert Seamans Cherin & Mellott, LLC

(**) Term: **15 Years**

(21) Appl. No.: **29/588,108**

(22) Filed: **Dec. 19, 2016**

(57) **CLAIM**

The ornamental design for container, as shown and described.

Related U.S. Application Data

DESCRIPTION

(63) Continuation-in-part of application No. 15/361,564, filed on Nov. 28, 2016, and a continuation of application No. 29/510,471, filed on Nov. 28, 2014, now abandoned, and a continuation-in-part of application No. 14/294,330, filed on Jun. 3, 2014, now Pat. No. 9,533,803, and a continuation of application No. 29/446,721, filed on Feb. 27, 2013, now abandoned.

FIG. 1 is a front, top perspective view of a container according to the invention, in a closed position;
FIG. 2 is a front, bottom perspective view of the container of FIG. 1, in the closed position;
FIG. 3 is a front elevation of the container of FIG. 1, in the closed position;
FIG. 4 is a right side elevation of the container of FIG. 1, in the closed position;
FIG. 5 is a rear elevation of the container of FIG. 1, in the closed position;
FIG. 6 is a left side elevation of the container of FIG. 1, in the closed position;
FIG. 7 is a top plan view of the container of FIG. 1, in the closed position; and,
FIG. 8 is a bottom plan view of the container of FIG. 1, in the closed position.

(51) **LOC (12) Cl.** **09-01**

(52) **U.S. Cl.**
USPC **D9/420**

(58) **Field of Classification Search**
USPC D9/414, 420, 422–424, 434–435,
D9/446–447, 449, 516, 529, 549, 575,
D9/715, 719; D3/203.2; D7/590–591,
D7/597; D24/224; D28/65–66; D34/7–8

(Continued)



The broken lines in the drawings illustrate the portions of the design that form no part of the claim.

1 Claim, 7 Drawing Sheets

(56)

References Cited

U.S. PATENT DOCUMENTS

D604,168 S	*	11/2009	El Ghouyel	D9/529
D621,951 S	*	8/2010	Bucholtz	D24/224
D631,168 S	*	1/2011	Bucholtz	D24/224
D643,740 S	*	8/2011	Pantelleria	D9/439
D647,211 S	*	10/2011	Belfance	D24/224
D649,659 S	*	11/2011	Belfance	D24/224
D655,183 S	*	3/2012	Pantelleria	D9/575
D696,078 S	*	12/2013	Allen	D7/629

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8