



US00D859142S

(12) **United States Design Patent** (10) **Patent No.:** **US D859,142 S**
Giraud et al. (45) **Date of Patent:** **** Sep. 10, 2019**

(54) **CONTAINER**

CPC B65D 1/00; B65D 23/00; B65D 39/0035;
B65D 81/00; B65D 83/04; B65D 2501/00
See application file for complete search history.

(71) Applicant: **CSP TECHNOLOGIES, INC.**,
Auburn, AL (US)

(56) **References Cited**

(72) Inventors: **Jean-Pierre Giraud**, Auburn, AL (US);
Herve Pichot, Chennevieres-sur-Marne
(FR); **Sikko Valk**, Delft (NL); **Abke**
Geels, Den Hoom (NL)

U.S. PATENT DOCUMENTS

(73) Assignee: **CSP TECHNOLOGIES, INC.**,
Auburn, AL (US)

5,878,873	A	*	3/1999	Clark	A45C 11/04
						206/6
D466,012	S	*	11/2002	Baker	D9/416
D470,765	S	*	2/2003	Baker	D9/416
D493,617	S	*	8/2004	Armato	D3/294
D555,490	S	*	11/2007	Liu	D9/549
D560,491	S	*	1/2008	Munford	D9/415
D587,973	S	*	3/2009	Romano	D7/612
D598,738	S	*	8/2009	Supranowicz	D9/420
D599,032	S	*	8/2009	Bucholtz	D24/224

(Continued)

(**) Term: **15 Years**

Primary Examiner — Dana Meyrow

(21) Appl. No.: **29/588,108**

(74) *Attorney, Agent, or Firm* — Mark T. Vogelbacker;
Eckert Seamans Cherin & Mellott, LLC

(22) Filed: **Dec. 19, 2016**

Related U.S. Application Data

(57) **CLAIM**

(63) Continuation-in-part of application No. 15/361,564,
filed on Nov. 28, 2016, and a continuation of
application No. 29/510,471, filed on Nov. 28, 2014,
now abandoned, and a continuation-in-part of
application No. 14/294,330, filed on Jun. 3, 2014,
now Pat. No. 9,533,803, and a continuation of
application No. 29/446,721, filed on Feb. 27, 2013,
now abandoned.

The ornamental design for container, as shown and
described.

DESCRIPTION

(51) **LOC (12) Cl.** **09-01**

(52) **U.S. Cl.**
USPC **D9/420**

(58) **Field of Classification Search**
USPC D9/414, 420, 422–424, 434–435,
D9/446–447, 449, 516, 529, 549, 575,
D9/715, 719; D3/203.2; D7/590–591,
D7/597; D24/224; D28/65–66; D34/7–8

FIG. 1 is a front, top perspective view of a container
according to the invention, in a closed position;
FIG. 2 is a front, bottom perspective view of the container
of FIG. 1, in the closed position;
FIG. 3 is a front elevation of the container of FIG. 1, in the
closed position;
FIG. 4 is a right side elevation of the container of FIG. 1, in
the closed position;
FIG. 5 is a rear elevation of the container of FIG. 1, in the
closed position;
FIG. 6 is a left side elevation of the container of FIG. 1, in
the closed position;
FIG. 7 is a top plan view of the container of FIG. 1, in the
closed position; and,
FIG. 8 is a bottom plan view of the container of FIG. 1, in
the closed position.

(Continued)



The broken lines in the drawings illustrate the portions of the design that form no part of the claim.

1 Claim, 7 Drawing Sheets

(56)

References Cited

U.S. PATENT DOCUMENTS

D604,168 S	*	11/2009	El Ghouyel	D9/529
D621,951 S	*	8/2010	Bucholtz	D24/224
D631,168 S	*	1/2011	Bucholtz	D24/224
D643,740 S	*	8/2011	Pantelleria	D9/439
D647,211 S	*	10/2011	Belfance	D24/224
D649,659 S	*	11/2011	Belfance	D24/224
D655,183 S	*	3/2012	Pantelleria	D9/575
D696,078 S	*	12/2013	Allen	D7/629

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8