



US00D859187S

(12) **United States Design Patent**
Behar et al.

(10) **Patent No.:** **US D859,187 S**
(45) **Date of Patent:** **** Sep. 10, 2019**

(54) **TRACKING DEVICE**

(71) Applicant: **Tile, Inc.**, San Mateo, CA (US)

(72) Inventors: **Yves Behar**, San Francisco, CA (US);
John Mathew Depew, Sunnyvale, CA (US);
Michael George Farley, Foster City, CA (US);
Vijay Shankar, Sunnyvale, CA (US);
Richard Philip Sillman, Los Altos, CA (US);
Valentin Jean Charles Marcel Sollier, San Francisco, CA (US);
Christopher Sean Wheaton, San Francisco, CA (US)

(73) Assignee: **Tile, Inc.**, San Mateo, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/670,058**

(22) Filed: **Nov. 13, 2018**

Related U.S. Application Data

(63) Continuation of application No. 29/612,676, filed on Aug. 3, 2017, now Pat. No. Des. 837,671.

(51) **LOC (12) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/70**; D10/104.2; D10/106.92;
D10/106.94; D10/74

(58) **Field of Classification Search**

USPC D10/65, 70, 74, 104.2, 106.92, 106.93,
D10/106.94

CPC A41D 1/02; A44C 5/0015; A44C 5/02;
A44C 5/14; A61B 19/44; A61B 2019/446; A61B 71/00; A61B 5/02416;
A61B 5/1118; A61B 2/721; A61B 5/002;
A61B 5/112; A61B 5/1122; A61B 5/746;
A61B 5/6823; A61B 5/72; A61B 5/7445;
A61B 5/0022; A61B 5/14532; A63B 71/06; A63B 26/00; A63B 24/0075; A63B 2071/0663; A63B 71/0686; A63B 24/0062; A63B 24/0084; A63B 2024/0068; A63B 2024/0078; A63B

2024/0056; A63B 2071/0625; A63B 2071/003; A63B 2071/063; A63B 2071/065; A63B 2071/068; A63B 2071/0675; A63B 2220/40; A63B 2220/803; A63B 2220/12; A63B 2220/20; A63B 2220/22; A63B 2220/30; A63B 2225/50; A63B 2225/02; A63B 2225/06; A63B 2230/75; A63B 2024/0065; A63B 2024/0081; A63B 2220/51; A63B 2220/62; A63B 2220/836; G09F 3/005; G06F 1/163; G06F 3/038; G06F 3/03547; G04G 17/00;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D693,248 S * 11/2013 Anderssen D10/65
D723,957 S * 3/2015 Evans D10/70

(Continued)

Primary Examiner — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — Fenwick & Wes LLP

(57) **CLAIM**



The ornamental design for a tracking device, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a tracking device;
FIG. 2 is a bottom perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.

The broken lines in the drawings showing portions of the tracking device are included for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(58) **Field of Classification Search**

CPC G04G 17/08; G04G 17/04; G04G 21/02;
G04G 21/00; G04G 21/08; G04B
37/1486; G06Q 10/00; G06Q 50/00;
G09B 9/00; G09B 19/00; G04F 10/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D726,035	S *	4/2015	Perez	D10/65
9,134,768	B2 *	9/2015	Yoon	G06F 1/1626
9,183,719	B2 *	11/2015	Gouge	A61B 5/01
D748,507	S *	2/2016	Evans	D10/70
D761,138	S *	7/2016	Manabe	D10/65
D778,246	S *	2/2017	Kuriki	D13/180
D782,926	S *	4/2017	Hojo	D10/65
D790,996	S *	7/2017	Farley	D10/104.2
D801,200	S *	10/2017	Farley	D10/70
D804,971	S *	12/2017	Heikkila	D10/70
D814,323	S *	4/2018	Bedingham	D10/70
D817,198	S *	5/2018	Farley	D10/70
D817,199	S *	5/2018	Farley	D10/70
D819,469	S *	6/2018	Farley	D10/70
D825,358	S *	8/2018	Lee	D10/70
D825,359	S *	8/2018	Lee	D10/70

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8