



US00D859198S

(12) **United States Design Patent**  
**Jalala**

(10) **Patent No.:** **US D859,198 S**  
(45) **Date of Patent:** **\*\* Sep. 10, 2019**

(54) **LIGHTBAR**

(71) Applicant: **Hayat Jalala**, Reseda, CA (US)

(72) Inventor: **Hayat Jalala**, Reseda, CA (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/595,128**

(22) Filed: **Feb. 24, 2017**

(51) **LOC (12) Cl.** ..... **10-05**

(52) **U.S. Cl.**  
USPC ..... **D10/114.4**

(58) **Field of Classification Search**

USPC ..... D10/104.1, 109.1, 109.2, 110, 111,  
D10/114.1–114.8; D26/28, 35, 36, 102,  
D26/104, 118, 120, 122; D12/401, 406,  
D12/412, 414, 190

CPC ..... B60Q 1/02; B60Q 1/04; B60Q 1/0416;  
B60Q 1/0425; B60Q 1/0433; B60Q  
1/0441; B60Q 1/0035; B60Q 1/0041;  
B60Q 1/0047; B60Q 1/0052; B60Q  
1/0058; B60Q 1/2611; F21S 41/151

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D593,428 S *	6/2009	Lyons	.....	D10/114.4
D603,740 S *	11/2009	Lyons	.....	D10/114.4
8,342,725 B2 *	1/2013	Stein	.....	B60Q 1/2611 362/311.02
D750,523 S *	3/2016	Yu	.....	F21S 41/26 D10/114.4
D825,368 S *	8/2018	Kuo	.....	B60Q 1/2611 D10/114.1

(Continued)

*Primary Examiner* — George D. Kirschbaum

*Assistant Examiner* — Joseph J Kukella

(57) **CLAIM**


The ornamental design for a lightbar, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of the lightbar;  
 FIG. 2 is a top perspective view thereof without the lightbar casing;  
 FIG. 3 is a bottom perspective view thereof;  
 FIG. 4 is a front elevational view thereof without the lightbar casing;  
 FIG. 5 is a rear elevational view thereof without the lightbar casing;  
 FIG. 6 is a left-side elevational view thereof without the lightbar casing;  
 FIG. 7 is a right-side elevation view thereof without the lightbar casing;  
 FIG. 8 is a top plan view thereof without the lightbar casing;  
 FIG. 9 is a bottom plan view thereof;  
 FIG. 10 is a detail perspective view of a module light with reference to circle 10 of FIG. 3;  
 FIG. 11 is a perspective view thereof;  
 FIG. 12 is a front elevational view thereof;  
 FIG. 13 is a rear elevational view thereof;  
 FIG. 14 is a left-side elevational view thereof;  
 FIG. 15 is a right-side elevation view thereof;  
 FIG. 16 is a top plan view thereof;  
 FIG. 17 is a bottom plan view thereof;  
 FIG. 18 is a detail perspective view of a module light with reference to circle 18 of FIG. 3;  
 FIG. 19 is a perspective view thereof;  
 FIG. 20 is a front elevational view thereof;  
 FIG. 21 is rear elevational view thereof;  
 FIG. 22 is at left-side elevational view thereof;  
 FIG. 23 is at right-side elevational view thereof;  
 FIG. 24 is at top plan view thereof; and,  
 FIG. 25 is at bottom plan view thereof.

The broken line showing the lightbar casing is included for the purpose of illustrating environmental structure and forms no part of the claimed design.

**1 Claim, 25 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2013/0155713 A1\* 6/2013 Law ..... B60Q 1/34  
362/545  
2013/0223089 A1\* 8/2013 Danner ..... F21S 41/26  
362/511  
2013/0258669 A1\* 10/2013 Qin ..... F21K 9/00  
362/249.02  
2014/0175479 A1\* 6/2014 Lin ..... H01L 41/143  
362/521  
2014/0204602 A1\* 7/2014 Jungwirth ..... F21S 41/143  
362/521  
2016/0265742 A1\* 9/2016 Wang ..... G02B 19/0066  
2018/0149336 A1\* 5/2018 Tsai ..... F21V 5/007

\* cited by examiner




FIG. 1



FIG. 2




FIG. 3





FIG. 4



FIG. 5



FIG. 6





FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12






FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18






FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24






FIG. 25