



US00D859414S

(12) **United States Design Patent** (10) **Patent No.:** **US D859,414 S**
Wu et al. (45) **Date of Patent:** **** Sep. 10, 2019**

(54) **DOCKING STATION FOR ELECTRONIC DEVICE**

(71) Applicants: **Tung-Ying Wu**, Taipei (TW);
Ming-Chung Liu, Taipei (TW);
Shu-Hsien Chu, Taipei (TW)

(72) Inventors: **Tung-Ying Wu**, Taipei (TW);
Ming-Chung Liu, Taipei (TW);
Shu-Hsien Chu, Taipei (TW)

(73) Assignee: **COMPAL ELECTRONICS, INC.**,
Taipei (TW)

(**) Term: **15 Years**

(21) Appl. No.: **29/640,325**

(22) Filed: **Mar. 13, 2018**

(51) **LOC (12) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/434**

(58) **Field of Classification Search**
USPC D14/434, 432, 433, 440, 447, 251–253,
D14/451, 452, 454, 140, 142, 149, 217,
D14/240, 299, 496, 314, 356, 357, 358,
D14/209.1, 171; D21/333; D13/103,
D13/107, 108, 133, 135, 184
CPC G06F 1/16; G06F 1/162; G06F 1/1626;
G06F 1/1632; G06F 1/1688; G06F 13/00;
H01M 10/44; F16M 11/10; F16M 11/20
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D295,862 S * 5/1988 Yonekura D14/125
D304,726 S * 11/1989 Brooks D14/149
D318,466 S * 7/1991 Grundstrom D14/434

(Continued)

Primary Examiner — Marie D. Fast Horse
(74) *Attorney, Agent, or Firm* — JCIPRNET

(57) **CLAIM**



The ornamental design for a docking station for electronic device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a docking station for electronic device showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is a perspective view showing the docking station of FIG. 1 in an alternate position for use;
FIG. 9 is a front view thereof;
FIG. 10 is a rear view thereof;
FIG. 11 is a left side view thereof;
FIG. 12 is a right side view thereof;
FIG. 13 is a top view thereof;
FIG. 14 is a bottom view thereof;
FIG. 15 is a perspective view thereof docked with an environmental electronic device;
FIG. 16 is a front view thereof;
FIG. 17 is a rear view thereof;
FIG. 18 is a left side view thereof;
FIG. 19 is a right side view thereof;
FIG. 20 is a top view thereof;
FIG. 21 is a bottom view thereof; and,
FIG. 22 is a perspective view thereof, wherein the docked environmental electronic device is in an alternate position for use.

The broken lines showing the additional docked electronic device seen in FIGS. 15-22 depict unclaimed environmental structure and form no part of the claim, while all remaining broken lines in the drawings depict portions of the docking station that form no part of the claimed design. All broken lines form no part of the claimed design.

1 Claim, 18 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D400,515 S * 11/1998 Shima D14/433
 D456,413 S * 4/2002 Malson D14/434
 D468,732 S * 1/2003 Zdinak D14/240
 D526,634 S * 8/2006 Inoue D14/502
 D543,246 S * 5/2007 Ashida D14/434
 D544,868 S * 6/2007 Katagiri D14/451
 D560,208 S * 1/2008 Skurdal D14/217
 D567,255 S * 4/2008 Miyawaki D14/496
 D575,350 S * 8/2008 Ashida D14/434
 D577,002 S * 9/2008 Kurihara D14/170
 D577,665 S * 9/2008 Kim D13/107
 D580,856 S * 11/2008 Haspil D13/108
 D590,338 S * 4/2009 Guccione D13/107
 D592,187 S * 5/2009 Ledbetter D14/217
 D599,801 S * 9/2009 Skaf D14/434
 D611,451 S * 3/2010 Wang D14/209.1
 D621,813 S * 8/2010 Wang D14/209.1
 D627,793 S * 11/2010 Otani D14/499
 D635,583 S * 4/2011 Otani D14/499
 D645,025 S * 9/2011 Poandl D14/214
 D654,078 S * 2/2012 Zhou D14/434
 D661,309 S * 6/2012 Murrer D14/447
 D668,255 S * 10/2012 McManigal D14/434
 D668,662 S * 10/2012 Suiter D14/447
 D674,392 S * 1/2013 Cheng D14/434
 D685,321 S * 7/2013 Smith D13/108
 D725,658 S * 3/2015 Stevenson D14/434
 D730,351 S * 5/2015 Lee D14/240

D736,211 S * 8/2015 Kirkpatrick G06F 1/20
 D14/434
 D740,828 S * 10/2015 Bucsa D14/433
 D742,384 S * 11/2015 Sumii D14/440
 D746,379 S * 12/2015 Navid D21/333
 9,207,713 B1 * 12/2015 Waide G06F 1/1632
 D751,499 S * 3/2016 Phillips D13/103
 D752,647 S * 3/2016 Matsumura D14/132
 D755,716 S * 5/2016 Navid D13/108
 D768,639 S * 10/2016 Sumii D14/447
 D769,878 S * 10/2016 Fletcher D14/434
 D771,139 S * 11/2016 Poulheim D14/203.3
 D771,140 S * 11/2016 Poulheim D14/203.3
 D788,060 S * 5/2017 Kwak D14/251
 D788,076 S * 5/2017 Swendseid D14/217
 D792,845 S * 7/2017 Morenstein D13/108
 D795,876 S * 8/2017 Fletcher D14/434
 D806,022 S * 12/2017 Waring D13/107
 D813,874 S * 3/2018 Magi D14/434
 D821,501 S * 6/2018 Sumii D21/332
 D829,718 S * 10/2018 Fletcher D14/434
 2007/0115628 A1 * 5/2007 Jiang G06F 1/1632
 361/679.01
 2008/0100995 A1 * 5/2008 Ryder G06F 1/1632
 361/601
 2014/0326845 A1 * 11/2014 Lui G06F 1/1632
 248/346.03
 2017/0208697 A1 * 7/2017 Kurian G06F 1/1632
 2018/0136695 A1 * 5/2018 Lo G06F 1/1632
 2018/0143661 A1 * 5/2018 Park G06F 1/16

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22