

US00D859518S

(12) **United States Design Patent**  
**Cheyns et al.**

(10) **Patent No.:** **US D859,518 S**

(45) **Date of Patent:** **\*\* Sep. 10, 2019**

(54) **INSERTION DETECTION**  
(71) Applicant: **Sanford, L.P.**, Downers Grove, IL (US)  
(72) Inventors: **Gilbert Cheyns**, Deerlijk (BE); **Geert Van Aerde**, Lokeren (BE)  
(73) Assignee: **Sanford, L.P.**, Atlanta, GA (US)  
(\*\*) Term: **15 Years**

(21) Appl. No.: **29/619,974**

(22) Filed: **Oct. 3, 2017**

(51) **LOC (12) Cl.** ..... **16-03**

(52) **U.S. Cl.**  
USPC ..... **D18/43**

(58) **Field of Classification Search**  
USPC ..... D10/46; D18/43  
CPC ..... B41J 2/17503; B41J 2/17513;  
B41J 2/17543; B41J 2/17546; B41J  
2/1755; B41J 2/17553  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D752,136 S \* 3/2016 Koido ..... D18/43

D757,161 S \* 5/2016 Takahashi ..... G03G 21/1652  
D18/43  
9,694,589 B1 \* 7/2017 Lee, II ..... B41J 2/175

\* cited by examiner

*Primary Examiner* — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — Eversheds Sutherland  
(US) LLP


(57) **CLAIM**

The ornamental design for a “insertion detection,” as shown and described.

**DESCRIPTION**

FIG. 1 is a top view of an insertion detection showing a new design;  
FIG. 2 is a bottom view thereof;  
FIG. 3 is a back view thereof;  
FIG. 4 is a front view thereof;  
FIG. 5 is a left view thereof;  
FIG. 6 is a right view thereof; and,  
FIG. 7 is a perspective view thereof.  
The broken line showing of structural features is included for the purpose of illustrating non-claimed subject matter and forms no part of the claimed design.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7