



US00D859557S

(12) **United States Design Patent**
Gershon

(10) **Patent No.:** **US D859,557 S**

(45) **Date of Patent:** **** Sep. 10, 2019**

(54) **COLLAPSIBLE FLOTATION DEVICE WITH
BACK SUPPORT**

(71) Applicant: **Swimways Corporation**, Virginia
Beach, VA (US)

(72) Inventor: **Dani Gershon**, Virginia Beach, VA
(US)

(73) Assignee: **Swimways Corporation**, Virginia
Beach, VA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/630,359**

(22) Filed: **Dec. 20, 2017**

Related U.S. Application Data

(62) Division of application No. 29/574,933, filed on Aug.
19, 2016, now Pat. No. Des. 806,197, which is a
(Continued)

(51) **LOC (12) Cl.** **21-02**

(52) **U.S. Cl.**
USPC **D21/803**

(58) **Field of Classification Search**
USPC D21/769-770, 801, 803, 809; D12/5, 6,
D12/316; D6/392, 595, 596, 601, 604,
D6/605

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,727,038 B2 * 6/2010 Le Gette A47C 15/006
441/129

D702,789 S * 4/2014 Berenson D21/803

(Continued)

Primary Examiner — Zenia I Bennett

(74) *Attorney, Agent, or Firm* — Cooley LLP

(57) **CLAIM**

The ornamental design for a collapsible flotation device with
back support, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a collapsible flotation
device with back support, according to an embodiment;

FIG. 2 is a top view of the collapsible flotation device with
back support illustrated in FIG. 1;

FIG. 3 is a bottom view of the collapsible flotation device
with back support illustrated in FIG. 1;

FIG. 4 is a left side view of the collapsible flotation device
with back support illustrated in FIG. 1;

FIG. 5 is a right side view of the collapsible flotation device
with back support illustrated in FIG. 1;

FIG. 6 is a rear view of the collapsible flotation device with
back support illustrated in FIG. 1;

FIG. 7 is a front view of the collapsible flotation device with
back support illustrated in FIG. 1;

FIG. 8 is a cross-sectional view of the collapsible flotation
device with back support of FIG. 1 taken along line 8-8 in
FIG. 2;

FIG. 9 is a front perspective view of a collapsible flotation
device with back support, according to another embodiment;

FIG. 10 is a top view of the collapsible flotation device with
back support illustrated in FIG. 9;

FIG. 11 is a bottom view of the collapsible flotation device
with back support illustrated in FIG. 9;

FIG. 12 is a left side view of the collapsible flotation device
with back support illustrated in FIG. 9;

FIG. 13 is a right side view of the collapsible flotation device
with back support illustrated in FIG. 9;

FIG. 14 is a rear view of the collapsible flotation device with
back support illustrated in FIG. 9;

FIG. 15 is a front view of the collapsible flotation device
with back support illustrated in FIG. 9;

FIG. 16 is a cross-sectional view of the collapsible flotation
device with back support of FIG. 9 taken along line 16-16
in FIG. 10;

FIG. 17 is a front perspective view of a collapsible flotation
device with back support, according to another embodiment;

FIG. 18 is a top view of the collapsible flotation device with
back support illustrated in FIG. 17;

(Continued)




FIG. 19 is a bottom view of the collapsible flotation device with back support illustrated in FIG. 17;
FIG. 20 is a left side view of the collapsible flotation device with back support illustrated in FIG. 17;
FIG. 21 is a right side view of the collapsible flotation device with back support illustrated in FIG. 17;
FIG. 22 is a rear view of the collapsible flotation device with back support illustrated in FIG. 17;
FIG. 23 is a front view of the collapsible flotation device with back support illustrated in FIG. 17; and,
FIG. 24 is a cross-sectional view of the collapsible flotation device with back support of FIG. 17 taken along line 24-24 in FIG. 18.

The broken lines are directed to environment and are for illustrative purposes only and form no part of the claimed design. The cross-hatching shown in the cross-sectional views of FIGS. 8, 16 and 24 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 24 Drawing Sheets

Related U.S. Application Data

division of application No. 29/500,081, filed on Aug. 21, 2014, now Pat. No. Des. 765,200.

(58) **Field of Classification Search**

CPC B63B 35/00; B63B 35/73; B63B 35/74
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D711,488	S	*	8/2014	Lau	D21/803
D719,630	S	*	12/2014	Berenson	D21/803
D765,200	S	*	8/2016	Gershon	D21/803
D766,393	S	*	9/2016	Lau	D21/803

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG. 7




FIG.8




FIG.9




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14




FIG.15




FIG.16




FIG.17




FIG.18




FIG.19




FIG.20




FIG.21




FIG.22




FIG. 23




FIG.24