



US00D859557S

(12) **United States Design Patent**  
**Gershon**

(10) **Patent No.:** **US D859,557 S**

(45) **Date of Patent:** **\*\* Sep. 10, 2019**

(54) **COLLAPSIBLE FLOTATION DEVICE WITH  
BACK SUPPORT**

(71) Applicant: **Swimways Corporation**, Virginia  
Beach, VA (US)

(72) Inventor: **Dani Gershon**, Virginia Beach, VA  
(US)

(73) Assignee: **Swimways Corporation**, Virginia  
Beach, VA (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/630,359**

(22) Filed: **Dec. 20, 2017**

**Related U.S. Application Data**

(62) Division of application No. 29/574,933, filed on Aug.  
19, 2016, now Pat. No. Des. 806,197, which is a  
(Continued)

(51) **LOC (12) Cl.** ..... **21-02**

(52) **U.S. Cl.**  
USPC ..... **D21/803**

(58) **Field of Classification Search**  
USPC ..... D21/769-770, 801, 803, 809; D12/5, 6,  
D12/316; D6/392, 595, 596, 601, 604,  
D6/605

(Continued)

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

7,727,038 B2 \* 6/2010 Le Gette ..... A47C 15/006  
441/129

D702,789 S \* 4/2014 Berenson ..... D21/803  
(Continued)

*Primary Examiner* — Zenia I Bennett

(74) *Attorney, Agent, or Firm* — Cooley LLP

(57) **CLAIM**

The ornamental design for a collapsible flotation device with  
back support, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a collapsible flotation  
device with back support, according to an embodiment;

FIG. 2 is a top view of the collapsible flotation device with  
back support illustrated in FIG. 1;

FIG. 3 is a bottom view of the collapsible flotation device  
with back support illustrated in FIG. 1;

FIG. 4 is a left side view of the collapsible flotation device  
with back support illustrated in FIG. 1;

FIG. 5 is a right side view of the collapsible flotation device  
with back support illustrated in FIG. 1;

FIG. 6 is a rear view of the collapsible flotation device with  
back support illustrated in FIG. 1;

FIG. 7 is a front view of the collapsible flotation device with  
back support illustrated in FIG. 1;

FIG. 8 is a cross-sectional view of the collapsible flotation  
device with back support of FIG. 1 taken along line 8-8 in  
FIG. 2;

FIG. 9 is a front perspective view of a collapsible flotation  
device with back support, according to another embodiment;

FIG. 10 is a top view of the collapsible flotation device with  
back support illustrated in FIG. 9;

FIG. 11 is a bottom view of the collapsible flotation device  
with back support illustrated in FIG. 9;

FIG. 12 is a left side view of the collapsible flotation device  
with back support illustrated in FIG. 9;

FIG. 13 is a right side view of the collapsible flotation device  
with back support illustrated in FIG. 9;

FIG. 14 is a rear view of the collapsible flotation device with  
back support illustrated in FIG. 9;

FIG. 15 is a front view of the collapsible flotation device  
with back support illustrated in FIG. 9;

FIG. 16 is a cross-sectional view of the collapsible flotation  
device with back support of FIG. 9 taken along line 16-16  
in FIG. 10;

FIG. 17 is a front perspective view of a collapsible flotation  
device with back support, according to another embodiment;

FIG. 18 is a top view of the collapsible flotation device with  
back support illustrated in FIG. 17;

(Continued)




FIG. 19 is a bottom view of the collapsible flotation device with back support illustrated in FIG. 17;  
FIG. 20 is a left side view of the collapsible flotation device with back support illustrated in FIG. 17;  
FIG. 21 is a right side view of the collapsible flotation device with back support illustrated in FIG. 17;  
FIG. 22 is a rear view of the collapsible flotation device with back support illustrated in FIG. 17;  
FIG. 23 is a front view of the collapsible flotation device with back support illustrated in FIG. 17; and,  
FIG. 24 is a cross-sectional view of the collapsible flotation device with back support of FIG. 17 taken along line 24-24 in FIG. 18.

The broken lines are directed to environment and are for illustrative purposes only and form no part of the claimed design. The cross-hatching shown in the cross-sectional views of FIGS. 8, 16 and 24 are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 24 Drawing Sheets**

**Related U.S. Application Data**

division of application No. 29/500,081, filed on Aug. 21, 2014, now Pat. No. Des. 765,200.

(58) **Field of Classification Search**

CPC ..... B63B 35/00; B63B 35/73; B63B 35/74  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D711,488	S	*	8/2014	Lau	.....	D21/803
D719,630	S	*	12/2014	Berenson	.....	D21/803
D765,200	S	*	8/2016	Gershon	.....	D21/803
D766,393	S	*	9/2016	Lau	.....	D21/803

\* cited by examiner




FIG.1




FIG.2






FIG.3




FIG.4




FIG.5




FIG.6






FIG. 7




FIG.8




FIG.9




FIG.10




FIG.11




FIG.12






FIG.13




FIG.14




FIG.15




FIG.16




FIG.17




FIG.18






FIG.19




FIG.20




FIG. 21




FIG.22




FIG. 23




FIG.24