



US00D859622S

(12) **United States Design Patent**  
**Herweck et al.**

(10) **Patent No.:** **US D859,622 S**

(45) **Date of Patent:** **\*\* Sep. 10, 2019**

(54) **PERSONAL AMBIENT AIR TEMPERATURE  
MODIFICATION DEVICE**

(71) Applicant: **Airwirl, LLC**, North Palm Beach, FL  
(US)

(72) Inventors: **Steve A. Herweck**, Wellesley Hills, MA  
(US); **Dana Herweck**, Wellesley Hills,  
MA (US); **Michael McCarthy**, Palm  
Beach Gardens, FL (US)

(73) Assignee: **AIRWIRL, LLC**, North Palm Beach,  
FL (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/616,829**

(22) Filed: **Sep. 8, 2017**

(51) **LOC (12) Cl.** ..... **23-04**

(52) **U.S. Cl.**  
USPC ..... **D23/355**

(58) **Field of Classification Search**  
USPC ..... D23/355-366, 352, 369, 332, 333, 335,  
D23/336, 342, 351; 422/120, 122;  
55/356, 473, 504; 96/97; 261/DIG. 17,  
261/DIG. 65, DIG. 88, DIG. 31  
CPC .. A61L 9/16; A61L 9/22; B01D 47/00; B01D  
2259/4508; F24F 3/16; F24F 13/20; F24F  
2001/0096; F24F 3/1405; F24F 3/1603;  
F24F 13/222

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D244,692 S \* 6/1977 Schimanski ..... D23/369  
D364,676 S \* 11/1995 Chiu ..... D23/356  
D464,130 S \* 10/2002 Denham ..... D23/366

D724,714 S \* 3/2015 Benson ..... D23/332  
D756,497 S \* 5/2016 Norman ..... D23/355  
D757,239 S \* 5/2016 Kim ..... D23/359  
D790,679 S \* 6/2017 Miller ..... D23/356  
D810,260 S \* 2/2018 Sevy ..... D23/366  
D810,263 S \* 2/2018 Lu ..... D23/366  
D810,265 S \* 2/2018 Chen ..... D23/366  
D813,366 S \* 3/2018 Tang ..... D23/366

\* cited by examiner

*Primary Examiner* — David G Muller

(74) *Attorney, Agent, or Firm* — Morse, Barnes-Brown &  
Pendleton, P.C.; Sean D. Detweiler

(57) **CLAIM**


The ornamental design for a personal ambient air tempera-  
ture modification device, as shown and described.


**DESCRIPTION**

FIG. 1 is a front view of a personal ambient air temperature  
modification device;  
FIG. 2 is a left side view of the personal ambient air  
temperature modification device;  
FIG. 3 is a rear view of the personal ambient air temperature  
modification device;  
FIG. 4 is a right side view of the personal ambient air  
temperature modification device;  
FIG. 5 is a top plan view of the personal ambient air  
temperature modification device;  
FIG. 6 is a bottom plan view of the personal ambient air  
temperature modification device; and;  
FIG. 7 is a front isometric view of the personal ambient air  
temperature modification device.


The broken line showing of parts of the drawings is included  
for the purpose of illustrating use and environment and  
forms no part of the claimed design.

**1 Claim, 4 Drawing Sheets**







*Fig. 1*




*Fig. 2*




*Fig. 3*




*Fig. 4*



*Fig. 5*



*Fig. 6*



*Fig. 7*