



US00D859665S

(12) **United States Design Patent** (10) **Patent No.:** **US D859,665 S**
Soulet de Brugiere et al. (45) **Date of Patent:** **** Sep. 10, 2019**

(54) **SENSOR**

(71) Applicant: **RYTHM**, Paris (FR)

(72) Inventors: **Quentin Soulet de Brugiere**, Saint Cloud (FR); **Hugo Mercier**, Paris (FR)

(73) Assignee: **DREEM**, Paris (FR)

(**) Term: **15 Years**

(21) Appl. No.: **29/645,234**

(22) Filed: **Apr. 24, 2018**

(30) **Foreign Application Priority Data**

Oct. 25, 2017 (EM) 004421030-0001

(51) **LOC (12) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/187**

(58) **Field of Classification Search**

USPC D24/186, 187

CPC A61M 21/02; A61M 2021/0027; A61B

5/0476; A61B 5/0006; A61B 5/6803;

A61B 5/0022; H04W 4/80; H04B 11/00;

G10K 15/04

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D796,683	S	*	9/2017	Smeros	D24/187
D797,296	S	*	9/2017	Dehollander	D24/187
D824,523	S	*	7/2018	Paoli	D24/186
D835,287	S	*	12/2018	Maletic	D24/187
2018/0353725	A1	*	12/2018	Mercier	A61M 21/02
2018/0368717	A1	*	12/2018	Soulet De Brugiere	A61B 5/6803

* cited by examiner

Primary Examiner — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — Volpe and Koenig, P.C.

(57) **CLAIM**

The ornamental design for sensor, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the sensor according to our design;

FIG. 2 is a rear view of the sensor of FIG. 1;

FIG. 3 is a front view of the sensor of FIG. 1;

FIG. 4 is a top view of the sensor of FIG. 1;

FIG. 5 is a rear perspective view of the sensor of FIG. 1;

FIG. 6 is a right side view of the sensor of FIG. 1, the left side being substantially identical thereto; and,

FIG. 7 is a top perspective view of the sensor of FIG. 1.

1 Claim, 7 Drawing Sheets






FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7