



US00D859807S

(12) **United States Design Patent**
Laframboise et al.

(10) **Patent No.: US D859,807 S**

(45) **Date of Patent: ** Sep. 17, 2019**

(54) **LACES**

(71) Applicant: **CORRECT MOTION INC.**, Montréal (CA)

(72) Inventors: **Steve Laframboise**, Terrebonne (CA);
John Moshopoulos, Laval (CA)

(73) Assignee: **CORRECT MOTION INC.**, Montréal (CA)

(**) Term: **15 Years**

(21) Appl. No.: **29/602,906**

(22) Filed: **May 4, 2017**

(51) **LOC (12) Cl.** **02-04**

(52) **U.S. Cl.**
USPC **D2/978**

(58) **Field of Classification Search**
USPC D2/896, 916-918, 946, 968, 969, 976,
D2/977, 978
CPC A43B 3/105; A43B 3/122; A43B 3/12;
A43B 9/00; A43B 23/28; A47C 5/02;
E05C 17/36
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,141,801	A *	12/1938	Taft	A43C 9/00
					24/713
D406,692	S	3/1999	Shin		
D424,964	S *	5/2000	Chia	A47C 5/02
					D11/13
7,448,197	B2 *	11/2008	Schwartz	A47C 5/02
					57/236
D604,941	S *	12/2009	Mouton	D2/978
D718,041	S	11/2014	McAndrew		
D769,607	S *	10/2016	Martinson	A43C 9/00
					D2/978
2005/0217089	A1	10/2005	Lin		

(Continued)

FOREIGN PATENT DOCUMENTS

CN 202680752 1/2013

OTHER PUBLICATIONS

Delele, "2 Pair Round Wave Shape Non Slip Heavy Duty and Durable Outdoor Climbing Shoelaces Hiking Shoe Laces Shoe-strings" published on Sep. 15, 2017.

(Continued)

Primary Examiner — Rashida C. Walshon

(74) *Attorney, Agent, or Firm* — Bereskin & Parr LLP/S.E.N.C.R.L., s.r.l.

(57) **CLAIM**


The ornamental design for laces, as shown and described.

DESCRIPTION

FIG. 1 is a right side view of the lace according to the first embodiment;
 FIG. 2 is a left side view of the lace according to the first embodiment;
 FIG. 3 is a top view of the lace according to the first embodiment;
 FIG. 4 is a rear view of the lace according to the first embodiment;
 FIG. 5 is a front view of the lace according to the first embodiment;
 FIG. 6 is a right side view of the lace according to the second embodiment;
 FIG. 7 is a top view of the lace according to the second embodiment; and,
 FIG. 8 is a left side view of the lace according to the second embodiment.

The lace is shown broken away in the middle along the length to indicate that any portion of the article beyond what is shown forms no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2014/0007392 A1 1/2014 Kajiwara et al.

OTHER PUBLICATIONS

Shoe Gear—36" Shoe Laces—Zig Zag—Pink, published on May 20, 2017.

English Abstract of CN201831051 (U), "Wing-type shoelace structure", published on May 18, 2011.

English Abstract of CN202112429 (U), "Spring type tying-free shoelace", published on Jan. 18, 2012.

English Abstract of EP1795085 (A1), "Extensible self-locking lace, in particular for manufacturing shoe laces", published on Jun. 13, 2007.

English Translation—Machine Translation of CN202680752U, "Shoelaces with convex parts and concave parts", published on Jan. 23, 2013.

"Rakuten Global Market: New Balance Shoelaces running shoes wave processing shoe string replacement color: pink, size: f (114 cm)", published on Sep. 15, 2017.

Xtenex, "Xtenex Accu-Fit Compression Laces" published on Sep. 15, 2017.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8